

# Delock M8 T-Splitter A-coded 4 pin 1 x male to 2 x male parallel connection

## Description

This industrial T-splitter by Delock can be used to connect various components with M8 connectors, e.g. for machine control or automation.



**Item no. 60574**

EAN: 4043619605743

Country of origin: China

Package: Zip poly bag

## Technical details

- Connectors:
  - 1 x M8 A-coded 4 pin male
  - 2 x M8 A-coded 4 pin male
- Housing material: PVC
- Contacts gold-plated
- Operating voltage: max. 60 V
- Current: max. 3 A
- Operating temperature: -25 °C ~ 85 °C
- Protection class: IP67
- Thread size: M8 x 1.0 mm
- Colour: black
- Dimensions (LxWxH): ca. 45 x 37 x 11 mm


## System requirements

- A free M8 female port
- Two free M8 female ports

## Package content

- T-splitter

## Images



## Interface

|              |             |
|--------------|-------------|
| Connector 1: | 1 x M8 male |
| Connector 2: | 2 x M8 male |

## Technical characteristics

|                      |      |
|----------------------|------|
| Operating voltage:   | 60 V |
| Current consumption: | 3 A  |

## Physical characteristics

|                   |       |
|-------------------|-------|
| Housing material: | PVC   |
| Length:           | 45 mm |
| Width:            | 37 mm |
| Height:           | 11 mm |
| Colour:           | black |
| Thread type:      | M8    |