

Reolink P320 - 5MP PoE IP Outdoor Security Camera with Person/Vehicle Detection Supports up to 256GB microSD Card.

Brand : Reolink

Product code: 6975253983735

Product name : Reolink P320 - 5MP PoE IP Outdoor Security Camera with Person/Vehicle Detection Supports up to 256GB microSD Card.



- 5MP Smart PoE IP Camera with Person/Vehicle Detection, 100ft Night Vision & Audio Recording
- 5MP Super HD @ 30FPS
- 2.8mm lens @ Horizontal 110° & Vertical 57° view
- Person/Vehicle /Pet Detection
- Power over Ethernet
- IP66 Waterproof
- 2-way audio

1/2.7" CMOS, 5 MPix, 10M/100Mbps RJ45, 68*63*188mm, 452g

Reolink P320 - 5MP PoE IP Outdoor Security Camera with Person/Vehicle Detection Supports up to 256GB microSD Card.. Type: IP security camera, Placement supported: Indoor & outdoor, Connectivity technology: Wired. Mounting type: Wall, Product colour: White, Form factor: Bullet. Lens viewing angle, horizontal: 110°, Lens viewing angle, vertical: 57°. Sensor type: CMOS, Optical sensor size: 25.4 / 2.7 mm (1 / 2.7"). Fixed focal length: 2.8 mm



Performance		Network	
Type *	IP security camera	Wi-Fi *	✗
Placement supported *	Indoor & outdoor	Bluetooth *	✗
Connectivity technology *	Wired	Number of users	20 user(s)
Virtual assistant	Google Assistant	User access level	Administrator, User
Design		Storage	
Form factor *	Bullet	Built-in HDD *	✗
Mounting type *	Wall	Card reader integrated	✓
Product colour *	White	Compatible memory cards	MicroSD (TransFlash)
LED indicators	✓	Maximum memory card size	256 GB
International Protection (IP) code	IP66	Ports & interfaces	
Camera		Ethernet LAN (RJ-45) ports	1
Lens viewing angle, horizontal	110°	DC-in jack	✓
Lens viewing angle, vertical	57°	Management features	
Image sensor		Reset button	✓
Number of sensors	1	Power	
Optical sensor size	25.4 / 2.7 mm (1 / 2.7")	Power source type *	DC, PoE
Sensor type *	CMOS	Power consumption (max)	12 W
Lens system		DC output voltage	12, 48
Number of lenses *	1	DC output current	1 A
Maximum aperture number	1.6	Operational conditions	
Fixed focal length	2.8 mm	Operating temperature (T-T)	-10 - 55 °C
Night vision		Operating relative humidity (H-H)	10 - 90%
Night vision *	✓	System requirements	
Night vision distance	30 m	Windows operating systems supported	✓
LED type	IR	Mac operating systems supported	✓
Number of illumination LEDs	2	Mobile operating systems supported	Android, iOS
Infra-red wavelength	850 nm	Weight & dimensions	
Video		Width	68 mm
Maximum resolution *	2880 x 1616 pixels	Depth	63 mm
Total megapixels *	5 MP		

Video		Weight & dimensions	
Video compression formats	H.264	Height	188 mm
Frame rate	30 fps	Weight	452 g
Audio		Package width	122 mm
Built-in speaker(s)	✓	Package depth	196 mm
Audio system	2-way	Package height	105 mm
Built-in microphone	✓	Package weight	700 g
Bit rate range	64 - 6144 Kbit/s	Packaging content	
Network		Number of cameras *	1
Ethernet LAN *	✓	Cables included	LAN (RJ-45)
Ethernet interface type	Fast Ethernet	Mounting kit	✓
Networking standards	IEEE 802.3af	Screws included	✓
Supported network protocols	HTTPS, SSL, TCP/IP, UDP, HTTP, IPv4, UPnP, RTSP, RTMP, ONVIF, SMTP, NTP, DHCP, DNS, DDNS, FTP, P2P		



6975253983735

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-MAY-2024. Prints or copies of Information are only valid on the printed Publication date