

PRODUCT SHEET

# Pop 2 Air

English version

# Index

Overview ..... 3

Key features..... 4

General specifications..... 5–6

Package contents..... 7

Additional information..... 7



## OVERVIEW

# Pop 2 Air


### Tuned for airflow

**Pop 2 Air** combines high airflow performance with a sleek, intuitive design. Its open mesh front and three included swept-blade fans deliver powerful cooling right out of the box, while an integrated air guide directs airflow toward the GPU for enhanced performance. With support for graphics cards up to 416 mm long and top-mounted radiators up to 360 mm, Pop 2 Air provides flexibility for high-performance gaming builds. In the RGB versions, a curated selection of lighting themes and customization options are included, with two easily accessible control buttons for smooth, effortless adjustments.



## Key features

- ▶ Airflow-focused design with mesh front and top panels and an integrated GPU air guide.
- ▶ Includes three swept-blade design fans for cooling performance out of the box.
- ▶ Compatible with powerful gaming components with space for GPUs up to 416 mm in length.
- ▶ Supports top-mounted radiators up to 360 mm and CPU coolers up to 170 mm in height.
- ▶ Features RGB fans and an integrated controller for easy lighting adjustments. (RGB version)
- ▶ Easily accessible front I/O featuring two USB ports and a combo audio jack.
- ▶ Clean, modern design featuring a honeycomb mesh pattern and details such as a fabric tab.
- ▶ Up to 35 mm of cable routing space and two cable routing straps included.
- ▶ Features a magnetically attached steel top filter and nylon mesh filter for the PSU.
- ▶ Supports ATX, mATX, and ITX motherboards.



# Specifications

| Specification                         | Pop 2 Air Solid                                                                  | Pop 2 Air TG                                                                     | Pop 2 Air RGB                                                                                         |
|---------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| 3.5"/2.5" drive mounts                | 1                                                                                | 1                                                                                | 1                                                                                                     |
| Dedicated 2.5" drive mounts           | 2 (3 total)                                                                      | 2 (3 total)                                                                      | 2 (3 total)                                                                                           |
| 5.25" drive mounts                    | —                                                                                | —                                                                                | —                                                                                                     |
| Expansion slots                       | 7                                                                                | 7                                                                                | 7                                                                                                     |
| Motherboard compatibility             | ATX / mATX / Mini-ITX                                                            | ATX / mATX / Mini-ITX                                                            | ATX / mATX / Mini-ITX                                                                                 |
| Reverse connector motherboard support | No                                                                               | No                                                                               | No                                                                                                    |
| Power supply type                     | ATX                                                                              | ATX                                                                              | ATX                                                                                                   |
| Front interface                       | 1 x USB Type-C 5 Gbps<br>1 x USB Type-A 5 Gbps<br>1 x Audio/Mic Combo Jack       | 1 x USB Type-C 5 Gbps<br>1 x USB Type-A 5 Gbps<br>1 x Audio/Mic Combo Jack       | 1 x USB Type-C 5 Gbps<br>1 x USB Type-A 5 Gbps<br>2 x RGB control buttons<br>1 x Audio/Mic Combo Jack |
| Total fan mounts                      | 7 x 120 mm or 2 x 140 mm                                                         | 7 x 120 mm or 2 x 140 mm                                                         | 7 x 120 mm or 2 x 140 mm                                                                              |
| Front fan                             | 3 x 120 (3 x Aspect 12X non-PWM case fans included)                              | 3 x 120 (3 x Aspect 12X non-PWM case fans included)                              | 3 x 120 (3 x Aspect 12X RGB non-PWM case fans included)                                               |
| Top fan                               | 3 x 120 mm or 2 x 140 mm                                                         | 3 x 120 mm or 2 x 140 mm                                                         | 3 x 120 mm or 2 x 140 mm                                                                              |
| Rear fan                              | 1 x 120 mm                                                                       | 1 x 120 mm                                                                       | 1 x 120 mm                                                                                            |
| Bottom fan                            | —                                                                                | —                                                                                | —                                                                                                     |
| Dust filters                          | Top (steel) and PSU (nylon)                                                      | Top (steel) and PSU (nylon)                                                      | Top (steel) and PSU (nylon)                                                                           |
| Front radiator                        | —                                                                                | —                                                                                | —                                                                                                     |
| Top radiator                          | 120 / 240 / 360 mm (Up to 121 mm wide with 47 mm high RAM and up to 407 mm long) | 120 / 240 / 360 mm (Up to 121 mm wide with 47 mm high RAM and up to 407 mm long) | 120 / 240 / 360 mm (Up to 121 mm wide with 47 mm high RAM and up to 407 mm long)                      |
| Rear radiator                         | 120 mm                                                                           | 120 mm                                                                           | 120 mm                                                                                                |



# Specifications

| Specification                               | Pop 2 Air Solid                                                        | Pop 2 Air TG                                                           | Pop 2 Air RGB                                                          |
|---------------------------------------------|------------------------------------------------------------------------|------------------------------------------------------------------------|------------------------------------------------------------------------|
| Bottom radiator                             | —                                                                      | —                                                                      | —                                                                      |
| PSU max length                              | 180 mm                                                                 | 180 mm                                                                 | 180 mm                                                                 |
| GPU max length                              | 416 mm                                                                 | 416 mm                                                                 | 416 mm                                                                 |
| GPU max width                               | 175 mm (including cables)                                              | 175 mm (including cables)                                              | 175 mm (including cables)                                              |
| CPU cooler max height                       | 170 mm                                                                 | 170 mm                                                                 | 170 mm                                                                 |
| Cable routing space                         | 23 mm (behind motherboard),<br>35 mm (cable channel)                   | 23 mm (behind motherboard),<br>35 mm (cable channel)                   | 23 mm (behind motherboard),<br>35 mm (cable channel)                   |
| Cable routing grommets                      | No                                                                     | No                                                                     | No                                                                     |
| Cable management features                   | Hook-and-loop straps                                                   | Hook-and-loop straps                                                   | Hook-and-loop straps                                                   |
| Tool-less access                            | Top filter, left side panel, right side panel, front panel, PSU filter | Top filter, left side panel, right side panel, front panel, PSU filter | Top filter, left side panel, right side panel, front panel, PSU filter |
| Captive thumbscrews                         | Side panels                                                            | Side panels                                                            | Side panels                                                            |
| Thumbscrews                                 | Storage bracket, PCIe covers                                           | Storage bracket, PCIe covers                                           | Storage bracket, PCIe covers                                           |
| Left side panel                             | Steel                                                                  | Tempered glass                                                         | Tempered glass                                                         |
| Right side panel                            | Steel                                                                  | Steel                                                                  | Steel                                                                  |
| Case dimensions (LxWxH)                     | 481 x 215 x 462 mm                                                     | 481 x 215 x 462 mm                                                     | 481 x 215 x 462 mm                                                     |
| Case dimensions w/o feet/protrusions/screws | 467 x 215 x 437 mm                                                     | 467 x 215 x 437 mm                                                     | 467 x 215 x 437 mm                                                     |
| Product weight                              | 7 kg                                                                   | 7.4 kg                                                                 | 7.4 kg                                                                 |
| Package dimensions (LxWxH)                  | 546 x 300 x 533 mm                                                     | 546 x 300 x 533 mm                                                     | 546 x 300 x 533 mm                                                     |
| Package weight                              | 8.3 kg                                                                 | 8.8 kg                                                                 | 8.8 kg                                                                 |



# Package contents

## Pop 2 Air

Computer case

Accessory kit

Product manual

# Additional information

| Product                | SKU           | EAN           | UPC          |
|------------------------|---------------|---------------|--------------|
| Pop 2 Air Black Solid  | FD-C-POA2A-01 | 7340172710431 | 843276110437 |
| Pop 2 Air Black TG     | FD-C-POA2A-02 | 7340172710448 | 843276110444 |
| Pop 2 Air Black TG RGB | FD-C-POA2A-03 | 7340172710455 | 843276110451 |
| Pop 2 Air White TG RGB | FD-C-POA2A-04 | 7340172710462 | 843276110468 |



