

Viewsonic PX704HD data projector Standard throw projector 4000 ANSI lumens DMD 1080p (1920x1080) White



Brand : Viewsonic

Product code: PX704HD


Product name : PX704HD

- 1080p Full HD resolution for captivating visuals
 - Unveil hidden details with a high native contrast ratio achieved through the 0.65" DMD chip
 - Up to 300" screen size to maximize fun at home
 - Easy multimedia access via dual HDMI ports and USB-A power supply
- DLP, 1920x1080, 4000 ANSI lum, 34 dB, HDMI 1.4/ HDCP 1.4, 3.5 mm, USB-A, RS232, 100-240 V, 309x234x115 mm, 2.7 kg

Viewsonic PX704HD. Projector brightness: 4000 ANSI lumens, Projection technology: DMD, Projector native resolution: 1080p (1920x1080). Light source type: Lamp, Service life of light source: 4000 h, Service life of light source (economic mode): 15000 h. Focus: Manual, Focal length range: 10.2 - 12.24 mm, Aperture range (F-F): 2.6 - 2.78. Analog signal format system: NTSC, PAL, SECAM, Supported graphics resolutions: 640 x 480 (VGA), 1920 x 1200 (WUXGA), Supported video modes: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p. Serial interface type: RS-232, HDMI connector type: Full-size

Projector		Storage	
Screen size compatibility *	762 - 7620 mm (30 - 300")	Card reader integrated *	✗
Projection distance	0.9 - 2.2 m	Features	
Projector brightness *	4000 ANSI lumens	Interactive *	✗
Projection technology *	DMD	Noise level (economic mode)	25 dB
Projector native resolution *	1080p (1920x1080)	HDCP	✓
Contrast ratio (typical) *	22000:1	On Screen Display (OSD)	✓
Number of colours	1.07 billion colours	On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Indonesian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Thai, Turkish, Vietnamese
Horizontal scan range	15 - 102 kHz		
Vertical scan range	23 - 120 Hz	Number of OSD languages	20
Keystone correction, horizontal	-40 - 40°	Noise level *	34 dB
Keystone correction, vertical	-40 - 40°	Multimedia	
Matrix size	1.65 cm (0.65")	Built-in speaker(s) *	✓
Light source		RMS rated power	5 W
Light source type *	Lamp	Design	
Service life of light source *	4000 h	Market positioning *	Presentation
Service life of light source (economic mode)	15000 h	Product type *	Standard throw projector
Lamp power	240 W	Product colour *	White
Lamps quantity	1 lamp(s)	Placement	Desktop, Ceiling
Lens system		Display	
Focus *	Manual	Built-in display *	✗
Focal length range	10.2 - 12.24 mm	Power	
Aperture range (F-F)	2.6 - 2.78	Power source *	AC
Zoom capability	✓	Power consumption (typical) *	310 W
Zoom ratio	2.0:1	Power consumption (standby) *	0.5 W
Throw ratio	1.48-1.62	AC input voltage	100-240 V
Offset	105%	AC input frequency	50 - 60 Hz
Video		Operational conditions	
Analog signal format system *	NTSC, PAL, SECAM	Operating temperature (T-T)	0 - 40 °C
Full HD *	✓	Weight & dimensions	
Supported graphics resolutions	640 x 480 (VGA), 1920 x 1200 (WUXGA)	Width	309 mm
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p		
Ports & interfaces			
HDMI connector type	Full-size		

Ports & interfaces		Weight & dimensions	
HDMI version	1.4	Depth	234 mm
USB 2.0 ports quantity	1	Height	115 mm
Serial interface type *	RS-232	Weight *	2.7 kg
PC Audio in	✓	Package width	400 mm
PC Audio out	✓	Package depth	168 mm
HDMI ports quantity *	2	Package height	337 mm
Composite video in *	1	Package weight	3.8 kg
DVI port *	✗	Packaging content	
AC (power) in	✓	Remote control included *	✓
Network		Cables included	AC, VGA
Smart TV *	✗	Manual	✓
Wi-Fi *	✗	Logistics data	
		Pallet gross length	102 cm
		Pallet gross width	122 cm
		Pallet gross height	181.5 cm
		Products per master (outer) case	1 pc(s)
		Harmonized System (HS) code	8528620000



0766907024463



766907024463

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.