

## GIGABYTE GS27FC2 27" FHD Curved Gaming Monitor - 1920 x 1080, 240Hz, 1, 350 cd/m², HDR Ready, HDMI 2.0, Displayport 1.4

**Brand :** GIGABYTE

**Product code:** GS27FC2 EK

**Product name :** GS27FC2 27" FHD Curved Gaming Monitor - 1920 x 1080, 240Hz, 1, 350 cd/m², HDR Ready, HDMI 2.0, Displayport 1.4

- • 27-inch 1500R VA panel with FHD resolution
- • 240Hz refresh rate, 1ms response time
- • Color Saturation: 125% sRGB
- • Ergonomic design: Tilt adjustments
- • Supports AMD FreeSync Premium, HDR Ready

GS27FC2 27" FHD Curved Gaming Monitor - 1920 x 1080, 240Hz, 1, 350 cd/m², HDR Ready, HDMI 2.0, Displayport 1.4

GIGABYTE GS27FC2 27" FHD Curved Gaming Monitor - 1920 x 1080, 240Hz, 1, 350 cd/m², HDR Ready, HDMI 2.0, Displayport 1.4:

The GIGABYTE GS27FC2 offers an FHD screen with 240Hz refresh rate and 1ms response time for detailed gameplay. Its curved 1500R VA panel and 125% sRGB color enhance gaming visuals. With AMD FreeSync Premium and Eyesafe 2.0, it delivers smooth viewing with reduced eye strain, balancing quality and affordability.



| Display                            |                      | Ergonomics                                |              |
|------------------------------------|----------------------|-------------------------------------------|--------------|
| Display diagonal *                 | 68.6 cm (27")        | VESA mounting *                           | ✓            |
| Display resolution *               | 1920 x 1080 pixels   | Panel mounting interface                  | 100 x 100 mm |
| HD type *                          | Full HD              | Cable lock slot *                         | ✓            |
| Native aspect ratio *              | 16:10                | Cable lock slot type                      | Kensington   |
| Display technology *               | LED                  | Height adjustment *                       | ✗            |
| Panel type *                       | VA                   | Pivot                                     | ✗            |
| Backlight type                     | Edge LED             | Swivelling                                | ✗            |
| Touchscreen *                      | ✗                    | Tilt adjustment                           | ✓            |
| Display brightness (typical)       | 350 cd/m²            | Tilt angle range                          | -5 - 20°     |
| Response time *                    | 1 ms                 | On Screen Display (OSD)                   | ✓            |
| Response time measurement type     | GTG (Gray to Gray)   | Power                                     |              |
| Response time (MPRT)               | 1 ms                 | Energy efficiency class (SDR) *           | E            |
| Anti-glare screen                  | ✓                    | Energy efficiency class (HDR) *           | G            |
| Screen shape *                     | Curved               | Energy consumption (SDR) per 1000 hours * | 21 kWh       |
| Screen curvature rating            | 1500R                | Energy consumption (HDR) per 1000 hours * | 32 kWh       |
| Contrast ratio (typical) *         | 3000:1               | Power consumption (typical) *             | 20 W         |
| Maximum refresh rate *             | 240 Hz               | Power consumption (standby) *             | 0.5 W        |
| Viewing angle, horizontal          | 178°                 | Power consumption (off)                   | 0.3 W        |
| Viewing angle, vertical            | 178°                 | AC input voltage                          | 100 - 240 V  |
| Display number of colours *        | 16.7 million colours | AC input frequency                        | 50/60 Hz     |
| Pixel pitch                        | 0.3114 x 0.3114 mm   | Power supply type                         | Internal     |
| Viewable size, horizontal          | 59.8 cm              | Energy efficiency scale                   | A to G       |
| Viewable size, vertical            | 33.6 cm              | Weight & dimensions                       |              |
| High Dynamic Range (HDR) supported | ✓                    | Width (with stand)                        | 610.5 mm     |
| Colour gamut standard              | sRGB                 | Depth (with stand)                        | 205.4 mm     |
| Colour gamut                       | 125%                 | Height (with stand)                       | 434.4 mm     |
| Performance                        |                      | Weight (with stand)                       | 4.53 kg      |
| NVIDIA G-SYNC *                    | ✗                    | Width (without stand)                     | 688 mm       |
| AMD FreeSync *                     | ✗                    | Depth (without stand)                     | 148 mm       |
| Flicker-free technology            | ✓                    | Height (without stand)                    | 362.5 mm     |
| Low Blue Light technology          | ✓                    | Weight (without stand)                    | 3.62 kg      |

| Multimedia            |        | Packaging data              |                            |
|-----------------------|--------|-----------------------------|----------------------------|
| Built-in speaker(s) * | ✗      | Package width               | 688 mm                     |
| Built-in camera *     | ✗      | Package depth               | 148 mm                     |
| Design                |        | Package height              | 448 mm                     |
| Market positioning *  | Gaming | Package weight              | 7.1 kg                     |
| Product colour *      | Black  | Package type                | Box                        |
| Feet colour           | Black  | Packaging content           |                            |
| Ports & interfaces    |        | Stand included              | ✓                          |
| Built-in USB hub *    | ✗      | Cables included             | HDMI, Power                |
| HDMI *                | ✓      | Quick start guide           | ✓                          |
| HDMI ports quantity   | 2      | Other features              |                            |
| HDMI version          | 2.0    | Brand specific technologies | Black Equalizer, Crosshair |
| DisplayPorts quantity | 1      | Warranty period             | 3 year(s)                  |
| DisplayPort version   | 1.4    |                             |                            |
| Headphone out *       | ✓      |                             |                            |

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-APR-2026. Prints or copies of Information are only valid on the printed Publication date