

Viewsonic LS740W data projector Standard throw projector 5000 ANSI lumens 3LCD WXGA (1200x800) White



Brand : Viewsonic


Product code: LS740W

Product name : LS740W

- 3rd generation laser phosphor technology with up to a 30,000-hour lifespan
 - 5,000 ANSI Lumens offering bright images in any environment
 - Up to 300" ultra large screen with lower cost-per-inch
 - Compact size and light weight reducing cost of transportation and installation
 - Installation flexibility: 1.3x optical zoom, H/V keystone, 360° projection, and portrait mode
 Full HD, 4200 ANSI, 3000000:1, 1.07 B, 2, 15W x2, RJ45, HDMI, Audio-out, RS232, USB, 100-240 V, 4.5 kg
 Viewsonic LS740W. Projector brightness: 5000 ANSI lumens, Projection technology: 3LCD, Projector native resolution: WXGA (1200x800). Light source type: Laser, Service life of light source: 20000 h, Service life of light source (economic mode): 30000 h. Focus: Manual, Fixed focal length: 7.51 mm, Zoom type: Manual. Analog signal format system: NTSC, PAL, SECAM, Supported video modes: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p. Serial interface type: RS-232, HDMI connector type: Full-size, Service port type: USB Type-A

Projector		Features	
Smart projector *	✗	Interactive *	✗
Screen size compatibility *	1016 - 7620 mm (40 - 300")	Noise level (economic mode)	29 dB
Projection distance	0.43 - 3.25 m	HDCP	✓
Projector brightness *	5000 ANSI lumens	On Screen Display (OSD)	✓
Projection technology *	3LCD	On Screen Display (OSD) languages	Danish, German, Hungarian, Arabic, Dutch, Norwegian, English, Indonesian, Swedish, Spanish, Italian, Polish, Thai, Japanese, Portuguese, Turkish, Romanian, Simplified Chinese, Finnish, Korean, Russian, Vietnamese, Traditional Chinese, French, Greek, Czech, Slovak
Projector native resolution *	WXGA (1200x800)		
Contrast ratio (typical) *	3000000:1		
Native aspect ratio *	16:9		
Number of colours	1.07 billion colours		
Horizontal scan range	15 - 102 kHz	Number of OSD languages	27
Vertical scan range	23 - 120 Hz	HDCP version	1.4/2.2
Keystone correction, horizontal	-15 - 15°	Noise level *	32 dB
Keystone correction, vertical	-15 - 15°	Multimedia	
Light source		Built-in speaker(s) *	✓
Light source type *	Laser	RMS rated power	30 W
Service life of light source *	20000 h	Number of built-in speakers	2
Service life of light source (economic mode)	30000 h	Design	
Lens system		Market positioning *	Business
Focus *	Manual	Product type *	Standard throw projector
Fixed focal length	7.51 mm	Product colour *	White
F-number (relative aperture)	2.8	Cable lock slot	✓
Zoom capability	✓	Cable lock slot type	Kensington
Zoom type	Manual	Display	
Digital zoom	2x	Built-in display *	✗
Throw ratio	0.49	Power	
Offset	132%	Power source *	AC
Video		Power consumption (typical) *	245 W
Analog signal format system *	NTSC, PAL, SECAM	Power consumption (standby) *	0.5 W
Full HD *	✓	AC input voltage	100 - 240 V
3D *	✗	AC input frequency	50 - 60 Hz
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p	Operational conditions	
Ports & interfaces		Operating temperature (T-T)	0 - 40 °C
HDMI connector type	Full-size		
HDMI version	2.0		

Ports & interfaces		Weight & dimensions	
Service port type	USB Type-A	Width	337 mm
USB 2.0 ports quantity	1	Depth	265 mm
USB 2.0 Type-A ports quantity	1	Height	131.5 mm
Serial interface type *	RS-232	Weight *	3 kg
PC Audio out	✓	Package width	400 mm
HDMI ports quantity *	2	Package depth	155 mm
DVI port *	✗	Package height	280 mm
AC (power) in	✓	Package weight	5.1 kg
Network		Packaging content	
Smart TV *	✗	Remote control included *	✓
Ethernet LAN *	✓	Quick start guide	✓
Ethernet LAN (RJ-45) ports	1	Warranty card	✓
Wi-Fi *	✗	Technical details	
Storage		Image lag time	49.9 ms
Card reader integrated *	✗	Logistics data	
		Quantity per pack	1 pc(s)
		Pallet gross length	102 cm
		Pallet gross width	122 cm
		Pallet gross height	181 cm
		Products per master (outer) case	1 pc(s)
		Harmonized System (HS) code	8528620000



0766907022599



766907022599

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.