



## LevelOne GEMINI 8-Channel PoE Network Video Recorder, 8 PoE Outputs, H.265

**Brand :** LevelOne

**Product code:** NVR-0508

**Product name :** GEMINI 8-Channel PoE Network Video Recorder, 8 PoE Outputs, H.265

- Supports video resolutions up to 8 megapixels
- Supports 4k2k HDMI local display
- Built-in 8 PoE ports for PoE devices
- 2 x 3.5" hard drive bays support disk capacity of up to 6TB
- Video compression: H.265, H.264, MPEG4

- Free CMS (Central Management System) software with 64-channel license

8ch, 8 x PoE, H.265/264, VGA, HDMI, USB, 10/100/1000 Mbps, 110~230 VAC, 3 kg

LevelOne GEMINI 8-Channel PoE Network Video Recorder, 8 PoE Outputs, H.265. Video input channels: 8

channels, Maximum resolution: 3840 x 2160 pixels, Video recording modes: 720p, 1080p. Maximum

storage capacity: 12 TB, HDD interface: Serial ATA. Ethernet LAN data rates: 10,100,1000 Mbit/s,

Networking standards: IEEE 802.3at, Supported network protocols:

TCP,UDP,IPv4,IPv6,Http,Https,SMTP,NTP,SNTP. LED indicators: Alarm, HDD, Power, Product colour: Black,

Compatible products: Onvif camera. Power consumption (typical): 180 W, AC input voltage: 100 - 230 V



| Performance                                     |                                            | Features                          |                                |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|--------------------------------|
| Video input channels *                          | 8 channels                                 | Compatible products               | Onvif camera                   |
| Video recording modes                           | 720p, 1080p                                | Country of origin                 | China                          |
| Maximum resolution *                            | 3840 x 2160 pixels                         | Certification                     | CE, FCC, ISO9001, ISO14001, uL |
| Number of users                                 | 64 user(s)                                 | <b>Power</b>                      |                                |
| Video formats supported                         | H.264, H.264+, H.265, MPEG4                | Power consumption (typical)       | 180 W                          |
| Operating system installed                      | Embedded LINUX                             | AC input voltage                  | 100 - 230 V                    |
| Throughput data rate                            | 160 Mbit/s                                 | <b>System requirements</b>        |                                |
| Number of fans                                  | 1 fan(s)                                   | Browser supported                 | Internet Explorer 9+           |
| Wireless LAN features                           |                                            | <b>Operational conditions</b>     |                                |
| Wi-Fi *                                         | ✗                                          | Operating temperature (T-T)       | -10 - 55 °C                    |
| Hard drive                                      |                                            | Operating relative humidity (H-H) | 10 - 90%                       |
| HDD capacity *                                  | 0 GB                                       | <b>Weight &amp; dimensions</b>    |                                |
| Number of HDDs supported                        | 2                                          | Width                             | 315 mm                         |
| Maximum storage capacity *                      | 12 TB                                      | Depth                             | 52 mm                          |
| HDD interface *                                 | Serial ATA                                 | Height                            | 385 mm                         |
| Ports & interfaces                              |                                            | Weight                            | 3 kg                           |
| Ethernet LAN (RJ-45) ports *                    | 9                                          | Package width                     | 435 mm                         |
| Power over Ethernet (PoE)                       | ✓                                          | Package depth                     | 450 mm                         |
| Ethernet LAN data rates                         | 10,100,1000 Mbit/s                         | Package height                    | 387 mm                         |
| Power over Ethernet (PoE) ports quantity        | 8                                          | Package type                      | Box                            |
| HDMI output                                     | ✓                                          | Package weight                    | 3.23 kg                        |
| VGA (D-Sub) output ports                        | 1                                          | <b>Packaging content</b>          |                                |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity | 2                                          | Cables included                   | AC                             |
| Audio RCA inputs                                | 1                                          | AC adapter included               | ✓                              |
| Audio RCA outputs                               | 1                                          | CD manual                         | ✓                              |
| Networking standards                            | IEEE 802.3at                               | <b>Logistics data</b>             |                                |
| Supported network protocols                     | TCP,UDP,IPv4,IPv6,Http,Https,SMTP,NTP,SNTP | Master (outer) case width         | 548 mm                         |
| Features                                        |                                            | Master (outer) case length        | 450 mm                         |
| Rack mounting                                   | ✓                                          | Master (outer) case height        | 412 mm                         |
| LED indicators                                  | Alarm, HDD, Power                          | Master (outer) case gross weight  | 14.1 kg                        |
| On/off switch                                   | ✓                                          | Products per master (outer) case  | 4 pc(s)                        |

**Features**

|                |       |
|----------------|-------|
| Product colour | Black |
|----------------|-------|



4015867202272



4015867236000

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.