



LevelOne 5-Port Unmanaged 2.5-Gigabit Ethernet Switch

Brand : LevelOne

Product code: GEU-0525

Product name : 5-Port Unmanaged 2.5-Gigabit Ethernet Switch

- 5 x 100/1000/2500 Base-T RJ45 copper ports
- 2500Mbps full-duplex, 100/1000Mbps full/half-duplex, auto-negotiation, auto-MDI/MDIX
- Supports 8K MAC address auto-learning and auto-aging
- 15K jumbo frames to increase data transfer rates
- IEEE 802.3x Flow Control protects against lost packets for reliable data transmission
- Desktop and Wall mount design
- Quick and easy installation

5-Port Unmanaged 2.5-Gigabit Ethernet Switch

LevelOne 5-Port Unmanaged 2.5-Gigabit Ethernet Switch. Switch type: Unmanaged. Basic switching RJ-45 Ethernet ports type: 2.5G Ethernet (100/1000/2500), Basic switching RJ-45 Ethernet ports quantity: 5. Full duplex. MAC address table: 8000 entries, Switching capacity: 25 Gbit/s. Networking standards: IEEE 802.3ab, IEEE 802.3bz, IEEE 802.3u, IEEE 802.3x. Wall mountable



Management features		Power	
Switch type *	Unmanaged	Input current	0.4 A
Ports & interfaces		Input voltage	12 V
Basic switching RJ-45 Ethernet ports quantity *	5	Power over Ethernet (PoE)	
Basic switching RJ-45 Ethernet ports type *	2.5G Ethernet (100/1000/2500)	Power over Ethernet (PoE) *	✗
2.5G Ethernet (copper) ports quantity	5	Operational conditions	
Network		Operating temperature (T-T)	0 - 50 °C
Networking standards *	IEEE 802.3ab, IEEE 802.3bz, IEEE 802.3u, IEEE 802.3x	Storage temperature (T-T)	-40 - 70 °C
10G support *	✗	Operating relative humidity (H-H)	10 - 90%
Copper ethernet cabling technology	10BASE-T, 100BASE-TX, 1000BASE-T, 2500BASE-T	Storage relative humidity (H-H)	5 - 90%
Full duplex	✓	Weight & dimensions	
Half duplex	✓	Width	175.5 mm
Flow control support	✓	Depth	105.3 mm
Auto MDI/MDI-X	✓	Height	27.3 mm
Auto-negotiation	✓	Weight	476.7 g
MAC address auto-learning supported	✓	Packaging content	
MAC address auto-aging supported	✓	Quick start guide	✓
Data transmission		Packaging data	
Switching capacity *	25 Gbit/s	AC adapter included	✓
Forwarding rate	18.6 Mpps	Package width	190 mm
MAC address table *	8000 entries	Package depth	115 mm
Jumbo frames support	✓	Package height	82 mm
Jumbo frames	15000	Package weight	614.4 g
Packet buffer memory	4 MB	Technical details	
Design		Master (outer) cases per pallet (air)	12 pc(s)
Product colour	Black	Pallet gross length	80 cm
LED indicators	Activity, Link, Power	Pallet gross width	120 cm
		Pallet height (air)	148.2 cm
		Certificates	
		Compliance certificates	CE, Federal Communications Commission (FCC), RoHS, UKCA

Design		Logistics data	
Wall mountable	✓	Country of origin	China
Performance		Master (outer) case width	605 mm
Noise level	0 dB	Master (outer) case length	400 mm
Fanless	✓	Master (outer) case height	440 mm
Power		Harmonized System (HS) code	851762
Power source *	DC	Master (outer) case gross weight	33 kg
Power supply included *	✓	Products per master (outer) case	50 pc(s)
AC input voltage	100 - 240 V		
AC input frequency	50/60 Hz		



4015867237793



0846359060667



846359060667

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.