




## BenQ SL6504 Smart Signage Display Digital signage flat panel 165.1 cm (65") LCD 500 cd/m<sup>2</sup> 4K Ultra HD Black Built-in processor Android



**Brand :** BenQ

**Product code:** 9H.S3MTB.DE2

**Product name :** SL6504 Smart Signage Display

- Pantone® & SkinTone™ validation aligns on-screen designs with real-world proofs
- 500-nit, 99% sRGB display delivers crisp, balanced color for meeting spaces
- Android 13 EDLA certified for instant Google Workspace integration
- 24/7 non-stop performance with anti-glare coating reduces light reflections
- Cloud-based DMS / AMS / IAM makes deployment and user management effortless

SL6504 Smart Signage Display

BenQ SL6504 Smart Signage Display. Product design: Digital signage flat panel. Display diagonal: 165.1 cm (65"), Display technology: LCD, Display resolution: 3840 x 2160 pixels, Display brightness: 500 cd/m<sup>2</sup>, HD type: 4K Ultra HD. Operating system installed: Android. Product colour: Black

| Display                     |                            | Power                             |                           |
|-----------------------------|----------------------------|-----------------------------------|---------------------------|
| Panel type                  | IPS                        | Power consumption (standby) *     | 0.5 W                     |
| LED backlight               | ✓                          | AC input voltage                  | 100 - 240 V               |
| Display diagonal *          | 165.1 cm (65")             | AC input frequency                | 50/60 Hz                  |
| Display technology *        | LCD                        | Computer system                   |                           |
| Display resolution *        | 3840 x 2160 pixels         | Computer system *                 | ✓                         |
| Display brightness *        | 500 cd/m <sup>2</sup>      | Built-in processor *              | ✓                         |
| HD type *                   | 4K Ultra HD                | Processor architecture            | ARM Cortex-A53+Cortex-A73 |
| Touchscreen *               | ✗                          | Processor cores                   | 8                         |
| Native aspect ratio         | 16:9                       | Internal memory                   | 8 GB                      |
| Response time               | 8 ms                       | Internal storage capacity         | 64 GB                     |
| Contrast ratio (typical)    | 1200:1                     | Operating system installed        | Android                   |
| Active display area (W x H) | 1428.5 x 803.5 mm          | Operating system version          | 13.0                      |
| Panel life                  | 50000 h                    | Weight & dimensions               |                           |
| Haze rate                   | 25%                        | Display width                     | 1456.4 mm                 |
| Ports & interfaces          |                            | Display depth                     | 57 mm                     |
| HDMI ports quantity *       | 2                          | Display height                    | 833.7 mm                  |
| HDMI version                | 2.0                        | Display weight                    | 20.7 kg                   |
| HDMI input ports quantity   | 2                          | Packaging data                    |                           |
| DVI port *                  | ✗                          | Package width                     | 1650 mm                   |
| USB port *                  | ✓                          | Package depth                     | 1016 mm                   |
| USB ports quantity          | 2                          | Package height                    | 162 mm                    |
| USB version                 | 2.0                        | Package weight                    | 28.7 kg                   |
| Ethernet LAN (RJ-45) ports  | 1                          | Packaging content                 |                           |
| Audio                       |                            | Remote control included           | ✓                         |
| Built-in speaker(s) *       | ✓                          | Cables included                   | HDMI, Serial              |
| RMS rated power             | 24 W                       | Operational conditions            |                           |
| Design                      |                            | Operating temperature (T-T)       | 0 - 40 °C                 |
| Product design *            | Digital signage flat panel | Operating relative humidity (H-H) | 10 - 80%                  |
| Placement supported *       | Indoor                     | Storage temperature (T-T)         | -10 - 60 °C               |
| Product colour *            | Black                      | Storage relative humidity (H-H)   | 10 - 80%                  |
| VESA mounting *             | ✓                          | Network                           |                           |
| Panel mounting interface    | 400 x 400 mm               | Ethernet LAN *                    | ✓                         |
| Anti-glare screen           | ✓                          | Ethernet LAN data rates           | 10,100 Mbit/s             |
| Performance                 |                            | Wi-Fi *                           | ✗                         |
| Purpose *                   | Universal                  |                                   |                           |

| Power                         |         | Technical details           |             |
|-------------------------------|---------|-----------------------------|-------------|
| Power consumption (typical) * | 110.3 W | Sustainability certificates | ENERGY STAR |



4718755095665

### **Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.