



LG 65EP5G-B Signage Display Digital signage flat panel 165.1 cm (65") OLED 185 cd/m² 4K Ultra HD Black WebOS 12/7

Brand : LG

Product code: 65EP5G-B

Product name : 65EP5G-B

- Accurate Color with a Wide OLED Screen
- Jack Interfaces for Professional (SDI, SFP+, etc.)
- Smart Calibration
- Brightness(Typ.) : 770 / 430 / 180 nit @D65 (APL 10% / 25% / 100%)
65" 3840 x 2160 OLED, 16:9, 185 nit, 120 Hz, 0.1 ms, HDMI, USB, RJ45, 1446.3 x 823.8 x 49 mm, 31 kg, Black
LG 65EP5G-B. Product design: Digital signage flat panel. Display diagonal: 165.1 cm (65"), Display technology: OLED, Display resolution: 3840 x 2160 pixels, Display brightness: 185 cd/m², HD type: 4K Ultra HD. Operating hours (hours/days): 12/7. Operating system installed: WebOS. Product colour: Black



Display		Performance	
Display diagonal *	165.1 cm (65")	On Screen Display (OSD) languages	English, Korean
Display technology *	OLED	Operating hours (hours/days)	12/7
Display resolution *	3840 x 2160 pixels	Power	
Display brightness *	185 cd/m ²	Power consumption (typical) *	300 W
HD type *	4K Ultra HD	Power consumption (off)	0.5 W
Native aspect ratio	16:9	Energy efficiency class (SDR)	G
Response time	1 ms	Energy consumption (SDR) per 1000 hours	129 kWh
Contrast ratio (typical)	1850000:1	AC input voltage	100 - 240 V
Viewing angle, horizontal	178°	AC input frequency	50 - 60 Hz
Viewing angle, vertical	178°	Heat dissipation	1054 BTU/h
Display number of colours	1.073 billion colours	Energy efficiency scale	A to G
Rated lifetime	30000 h	Computer system	
Ports & interfaces		Internal memory	8 GB
HDMI ports quantity *	1	Operating system installed	WebOS
HDMI version	2.1	Weight & dimensions	
USB port *	✓	Display width	1446.3 mm
USB ports quantity	1	Display depth	49 mm
USB version	2.0	Display height	823.8 mm
Ethernet LAN (RJ-45) ports	2	Display weight	31 kg
Audio (L/R) out	1	Width (with stand)	1446.3 mm
Design		Depth (with stand)	272 mm
Product design *	Digital signage flat panel	Height (with stand)	896.5 mm
Placement supported *	Indoor	Weight (with stand)	35 kg
Orientation	Horizontal	Packaging data	
Product colour *	Black	Package width	1670 mm
VESA mounting *	✓	Package depth	1108 mm
Panel mounting interface	300 x 300 mm	Package height	200 mm
Bezel width (bottom)	1.16 cm	Package weight	45.5 kg
Bezel width (side)	8.9 mm	Packaging content	
Bezel width (top)	8.7 mm	Remote control included	✓
Performance		Batteries included	✓
Multi-display supported	✓	Cables included	AC
On Screen Display (OSD)	✓		
Number of OSD languages	2		

Network

Ethernet LAN *





8806091133793



0195174012079



195174012079

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.