

## Samsung QM32C-T Digital signage flat panel 81.3 cm (32") LCD Wi-Fi 400 cd/m² Full HD Black Touchscreen Tizen 7.0 16/7

**Brand :** Samsung

**Product code:** LH32QMCTBGCXEN

**Product name :** QM32C-T



Samsung QM32C-T. Product design: Digital signage flat panel. Display diagonal: 81.3 cm (32"), Display technology: LCD, Display resolution: 1920 x 1080 pixels, Display brightness: 400 cd/m², HD type: Full HD, Touchscreen. Wi-Fi. Operating hours (hours/days): 16/7. Operating system installed: Tizen 7.0. Product colour: Black

| Display                               |                            | Design                            |                                     |
|---------------------------------------|----------------------------|-----------------------------------|-------------------------------------|
| Panel type                            | VA                         | VESA mounting *                   | ✓                                   |
| Display diagonal *                    | 81.3 cm (32")              | Panel mounting interface          | 200 x 200 mm                        |
| Display technology *                  | LCD                        | <b>Performance</b>                |                                     |
| Display resolution *                  | 1920 x 1080 pixels         | Purpose *                         | Universal                           |
| Display brightness *                  | 400 cd/m²                  | Operating hours (hours/days)      | 16/7                                |
| HD type *                             | Full HD                    | <b>Power</b>                      |                                     |
| Touchscreen *                         | ✓                          | Power consumption (standby) *     | 0.5 W                               |
| Touchscreen technology                | Capacitive                 | AC input voltage                  | 100 - 240 V                         |
| Native aspect ratio                   | 16:9                       | AC input frequency                | 50/60 Hz                            |
| Response time                         | 8 ms                       | <b>Computer system</b>            |                                     |
| Contrast ratio (typical)              | 1200:1                     | Internal storage capacity         | 8 GB                                |
| Dynamic contrast ratio marketing name | Mega Contrast              | Operating system installed        | Tizen 7.0                           |
| Viewing angle, horizontal             | 178°                       | <b>Weight &amp; dimensions</b>    |                                     |
| Viewing angle, vertical               | 178°                       | Display width                     | 744.4 mm                            |
| Pixel pitch                           | 0.3637 x 0.3637 mm         | Display depth                     | 48.2 mm                             |
| Colour saturation                     | 72%                        | Display height                    | 444.6 mm                            |
| Horizontal scan range                 | 30 - 81 kHz                | Display weight                    | 8.3 kg                              |
| Vertical scan range                   | 48 - 75 Hz                 | <b>Packaging data</b>             |                                     |
| Haze rate                             | 2%                         | Package width                     | 872 mm                              |
| Pixel frequency (max)                 | 148.5 MHz                  | Package depth                     | 565 mm                              |
| <b>Ports &amp; interfaces</b>         |                            | Package height                    | 133 mm                              |
| HDMI ports quantity *                 | 3                          | Package weight                    | 11 kg                               |
| HDMI version                          | 1.4                        | <b>Operational conditions</b>     |                                     |
| DVI port *                            | ✗                          | Operating temperature (T-T)       | 0 - 40 °C                           |
| USB port *                            | ✓                          | Operating relative humidity (H-H) | 10 - 80%                            |
| USB ports quantity                    | 2                          | <b>Network</b>                    |                                     |
| Ethernet LAN (RJ-45) ports            | 1                          | Ethernet LAN *                    | ✓                                   |
| Remote (IR) input                     | 1                          | Wi-Fi *                           | ✓                                   |
| <b>Audio</b>                          |                            | <b>Technical details</b>          |                                     |
| Built-in speaker(s) *                 | ✗                          | Compliance certificates           | Electromagnetic Compatibility (EMC) |
| <b>Design</b>                         |                            |                                   |                                     |
| Product design *                      | Digital signage flat panel |                                   |                                     |
| Placement supported *                 | Indoor                     |                                   |                                     |

| Design           |       | Other features      |   |
|------------------|-------|---------------------|---|
| Product colour * | Black | Audio output        | 1 |
|                  |       | Bluetooth           | ✓ |
|                  |       | RS-232 input ports  | 1 |
|                  |       | RS-232 output ports | 1 |



8806097646440

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.