



DELL UltraSharp U2421E computer monitor 61.2 cm (24.1") 1920 x 1200 pixels WUXGA LCD Silver

Brand : DELL

Product family: UltraSharp

Product code: DELL-U2421E

Product name : U2421E

- 61.2cm (24.1") WUXGA 1920 x 1200 LED IPS
- 8ms, 16:10, 350cd/m², 1000:1
- USB, HDMI, DisplayPort, RJ-45
61.2cm (24.1") WUXGA 1920 x 1200 LED IPS, 16:10, 350cd/m², 16.78M, 8ms, 178°/178°, 1000:1

DELL UltraSharp U2421E computer monitor 61.2 cm (24.1") 1920 x 1200 pixels WUXGA LCD Silver:

Experience vibrant color and reduced harmful blue light emissions with ComfortView Plus. Featuring an RJ45 port for Ethernet connectivity.

DELL UltraSharp U2421E. Display diagonal: 61.2 cm (24.1"), Display resolution: 1920 x 1200 pixels, HD type: WUXGA, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:10, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Silver



Display		Ergonomics	
Display diagonal *	61.2 cm (24.1")	Adjustable height (max)	15 cm
Display resolution *	1920 x 1200 pixels	Pivot	✓
HD type *	WUXGA	Pivot angle	-90 - 90°
Native aspect ratio *	16:10	Swivelling	✓
Display technology *	LCD	Swivel angle range	-45 - 45°
Panel type *	IPS	Tilt adjustment	✓
Backlight type	LED	Tilt angle range	-5 - 21°
Touchscreen *	✗	Power	
Display brightness (typical)	350 cd/m²	Energy efficiency class (SDR) *	E
Response time *	8 ms	Energy efficiency class (HDR) *	Not available
Screen shape *	Flat	Energy consumption (SDR) per 1000 hours *	17 kWh
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1600 x 900, 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA)	Power consumption (typical) *	17.2 W
		Power consumption (standby) *	0.2 W
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	Power consumption (max)	186 W
		Power consumption (off)	0.2 W
Contrast ratio (typical) *	1000:1	Power consumption (PowerSave)	16.1 W
Maximum refresh rate *	60 Hz	AC input voltage	100 - 240 V
Viewing angle, horizontal	178°	AC input frequency	50 - 60 Hz
Viewing angle, vertical	178°	Power supply type	Internal
Display number of colours *	16.78 million colours	Energy efficiency scale	A to G
Response time (fast)	5 ms	Operational conditions	
Pixel pitch	0.27 x 0.27 mm	Operating temperature (T-T)	0 - 40 °C
Pixel density	93.95 ppi	Storage temperature (T-T)	-20 - 60 °C
Horizontal scan range	30 - 83 kHz	Operating relative humidity (H-H)	10 - 80%
Vertical scan range	49 - 76 Hz	Storage relative humidity (H-H)	5 - 90%
Viewable size, horizontal	51.8 cm		
Viewable size, vertical	32.4 cm		

Display		Weight & dimensions	
Viewable size diagonal	61.1 cm	Width (with stand)	530.8 mm
High Dynamic Range (HDR) supported	✗	Depth (with stand)	173 mm
Colour gamut	99%	Height (with stand)	510.7 mm
Performance		Weight (with stand)	5.7 kg
NVIDIA G-SYNC *	✗	Width (without stand)	530.8 mm
AMD FreeSync *	✗	Depth (without stand)	50 mm
Multimedia		Height (without stand)	339.3 mm
Built-in speaker(s) *	✗	Weight (without stand)	4 kg
Built-in camera *	✗	Bezel width (side)	6.2 mm
Design		Bezel width (top)	6.2 mm
Market positioning *	Business	Bezel width (bottom)	9.1 mm
Product colour *	Silver	Packaging data	
Front bezel colour	Black	Package width	723.1 mm
Detachable stand	✓	Package depth	139.9 mm
Feet colour	Silver	Package height	427 mm
Ports & interfaces		Package weight	8.6 kg
Built-in USB hub *	✓	Sustainability	
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Sustainability certificates	ENERGY STAR
USB upstream port type	USB Type-C	Carbon footprint	
Number of upstream ports	1	Total carbon footprint (kg of CO2e)	610
USB Type-A downstream ports quantity	3	Total carbon emissions, standard deviation (kg of CO2e)	106
USB Type-C downstream ports quantity	1	Carbon emissions, manufacturing (kg of CO2e)	433.64
DVI port	✗	Carbon emissions, logistics (kg of CO2e)	45.2
HDMI *	✓	Carbon emissions, energy usage (kg of CO2e)	128
HDMI ports quantity	1	Carbon emissions, end-of-life (kg of CO2e)	2.59
HDMI version	1.4	PAIA version	1.2.10, 2020
DisplayPorts quantity	2	Other features	
DisplayPort version	1.4	Ethernet LAN data rates	10,100,1000 Mbit/s
Audio input	✗	Ethernet LAN (RJ-45) ports	1
Audio output	✓	Logistics data	
Headphone out *	✓	Harmonized System (HS) code	85285210
Headphone outputs	1		
Headphone connectivity	3.5 mm		
Network			
Wi-Fi	✗		
Ergonomics			
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		
Cable lock slot *	✓		
Height adjustment *	✓		



5397184409503



0884116381112



884116381112



5704174325475

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.