

ASUS RT-AC2900 wireless router Gigabit Ethernet Dual-band (2.4 GHz / 5 GHz) Black

Brand : ASUS

Product code: 90IG0401-BU9010


Product name : RT-AC2900

ASUS RT-AC2900. Wi-Fi band: Dual-band (2.4 GHz / 5 GHz), Top Wi-Fi standard: Wi-Fi 5 (802.11ac), WLAN data transfer rate (max): 2917 Mbit/s. Ethernet LAN interface type: Gigabit Ethernet, Ethernet LAN data rates: 10,100,1000 Mbit/s, VPN support: IPSec Pass-Through PPTP Pass-Through L2TP Pass-Through PPTP server OpenVPN server PPTP client L2TP.... Security algorithms: 64-bit WEP, 128-bit WEP, WPA-Enterprise, WPA-PSK, WPA2-Enterprise, WPA2-PSK, WPS. Supported network protocols: TCP/IPv4, TCP/IPv6. Product type: Tabletop router, Product colour: Black, LED indicators: LAN, Power, WAN, WLAN, WPS



WAN connection		Protocols	
Ethernet WAN *	✓	DHCP server	✓
DSL WAN *	✗	Universal Plug and Play (UPnP)	✓
SIM card slot *	✗	Supported network protocols	TCP/IPv4, TCP/IPv6
3G/4G USB modem compatibility *	✗	Design	
Wireless LAN features		Product colour	Black
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)	LED indicators	LAN, Power, WAN, WLAN, WPS
Top Wi-Fi standard *	Wi-Fi 5 (802.11ac)	On/off switch	✓
WLAN data transfer rate (max) *	2917 Mbit/s	Product type *	Tabletop router
Wi-Fi standards	802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n)	Packaging content	
Modulation	1024-QAM	Cables included	LAN (RJ-45)
Network		AC adapter included	✓
Ethernet LAN *	✓	Quick start guide	✓
Ethernet LAN interface type *	Gigabit Ethernet	Antenna	
Ethernet LAN data rates	10,100,1000 Mbit/s	Antenna design *	Internal & external
Port forwarding	✓	Antennas quantity	4
VPN Passthrough	✓	Features	
VPN support	IPSec Pass-Through PPTP Pass-Through L2TP Pass-Through PPTP server OpenVPN server PPTP client L2TP client OpenVPN client	Built-in processor	✓
		Processor frequency	1800 MHz
		Processor cores	2
Ports & interfaces		Firmware upgradeable	✓
Ethernet LAN (RJ-45) ports *	4	Power	
USB port *	✓	Power source type *	AC
USB 2.0 ports quantity	1	AC input voltage	110 - 240 V
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Output voltage	19 V
		Output current	1.75 A

Ports & interfaces		Operational conditions	
Memory card slot(s)	✗	Operating temperature (T-T)	0 - 40 °C
DC-in jack	✓	Storage temperature (T-T)	0 - 70 °C
Management features		Operating relative humidity (H-H)	50 - 90%
Web-based management	✓	Storage relative humidity (H-H)	20 - 90%
Quality of Service (QoS) support	✓	System requirements	
Reset button	✓	Windows operating systems supported	Windows 10, Windows 7, Windows 8
WPS push button	✓	Linux operating systems supported	✓
Security		Mac operating systems supported	Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion
Security algorithms	64-bit WEP, 128-bit WEP, WPA-Enterprise, WPA-PSK, WPA2-Enterprise, WPA2-PSK, WPS	Mac compatibility	✓
Firewall	✓	Weight & dimensions	
Guest access	✓	Width	220 mm
Filtering	✓	Depth	83.3 mm
MAC address filtering	✓	Height	160 mm
URL filtering	✓	Weight	872 g
System event log	✓		
DMZ support	✓		



4712900798531

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.