



Bosch Serie 2 DWK65DK60 cooker hood Wall-mounted Black 430 m³/h

Brand : Bosch

Product family: Serie 2

Product code: DWK65DK60

Product name : DWK65DK60

Bosch Serie 2 DWK65DK60. Maximum extraction power: 430 m³/h, Type of extraction: Ducted/Recirculating, Fluid dynamic efficiency class: A. Type: Wall-mounted, Product colour: Black, Housing material: Glass. Grease filter type: Aluminium. Bulb power: 3 W, Number of bulbs: 2 bulb(s), Bulb type: LED. Energy efficiency class: A, Annual energy consumption: 43.8 kWh, Energy efficiency scale: A+++ to D



Performance		Filtering	
Maximum extraction power *	430 m³/h	Filter cleaning indicator	✓
Type of extraction *	Ducted/Recirculating	Dishwasher proof filter	✓
Fluid dynamic efficiency class *	A	Washable filter	✓
Lighting efficiency class *	A	Lighting	
Grease filtering efficiency class *	E	Bulb power	3 W
Maximum recirculating power	445 m³/h	Number of bulbs	2 bulb(s)
Boost position air extraction power	550 m³/h	Bulb type	LED
Boost position output recirculating power	550 m³/h	Illuminance	127 lx
Number of speeds *	3	Colour temperature	4000 K
Intensive speed	✓	Dimmable lighting	✗
Noise level *	60 dB	Lighting efficiency (LE)	76.1 lux/W
Noise level (low speed)	46 dB	Power	
Noise level (high speed)	60 dB	Energy efficiency class *	A
Noise level (intensive speed)	65 dB	Energy efficiency scale	A+++ to D
Airflow (low speed)	220 m³/h	Connected load	223 W
Minimum distance from electric hob	45 cm	Power consumption (standby)	0.49 W
Minimum distance from gas hob	65 cm	Annual energy consumption *	43.8 kWh
Design		AC input voltage	220 - 240 V
Type *	Wall-mounted	Current	4 A
Product colour *	Black	Auto power off	✓
Housing material	Glass	Energy efficiency class (old)	A
Control type	Touch	Weight & dimensions	
Cord length	1.5 m	Width *	590 mm
Built-in display *	✗	Depth	155 mm
Exhaust connection diameter	15 cm	Height (min)	69 cm
Number of motors	1	Height (max)	90 cm
Motor included	✓	Weight	11 kg
Warranty period	2 year(s)	Packaging data	
Filtering		Package width	425 mm
Grease filter type *	Aluminium	Package depth	666 mm

Packaging data	
Package height	365 mm
Package weight	14.9 kg
Other features	
Grease filtering efficiency (GFE)	55%
Fluid dynamic efficiency (FDE)	30



4242005395927

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.