


## Electrolux LFT816K Wall-mounted Black 600 m³/h

**Brand :** Electrolux

**Product code:** 942 022 828

**Product name :** LFT816K

Electrolux LFT816K. Maximum extraction power: 600 m³/h, Type of extraction: Ducted/Recirculating, Fluid dynamic efficiency class: A. Type: Wall-mounted, Product colour: Black, Control type: Touch. Grease filter type: Aluminium, Number of filters: 2 pc(s). Bulb power: 7.5 W, Lighting efficiency (LE): 66.3 lux/W. Energy efficiency class: A, Annual energy consumption: 62.5 kWh, Energy efficiency scale: A+++ to D



| Performance                         |                      | Filtering                      |            |
|-------------------------------------|----------------------|--------------------------------|------------|
| Maximum extraction power *          | 600 m³/h             | Grease filter type *           | Aluminium  |
| Type of extraction *                | Ducted/Recirculating | Number of filters              | 2 pc(s)    |
| Fluid dynamic efficiency class *    | A                    | <b>Lighting</b>                |            |
| Lighting efficiency class *         | A                    | Bulb power                     | 7.5 W      |
| Grease filtering efficiency class * | C                    | Lighting efficiency (LE)       | 66.3 lux/W |
| Maximum recirculating power         | 545 m³/h             | <b>Power</b>                   |            |
| Boost position air extraction power | 730 m³/h             | Energy efficiency class *      | A          |
| Number of speeds *                  | 3                    | Energy efficiency scale        | A+++ to D  |
| Intensive speed                     | ✓                    | Motor power                    | 250 W      |
| Noise level *                       | 70 dB                | Power consumption (off)        | 0.49 W     |
| Noise level (low speed)             | 56 dB                | Annual energy consumption *    | 62.5 kWh   |
| Noise level (high speed)            | 70 dB                | AC input frequency             | 50 Hz      |
| Noise level (intensive speed)       | 74 dB                | <b>Weight &amp; dimensions</b> |            |
| Noise level (recirculation mode)    | 75 dB                | Width *                        | 598 mm     |
| Pressure (Pa)                       | 530                  | Depth                          | 454 mm     |
| Airflow (low speed)                 | 295 m³/h             | Height                         | 1180 mm    |
| Minimum distance from electric hob  | 50 cm                | Height (max)                   | 118 cm     |
| Minimum distance from gas hob       | 65 cm                | Height without chimney         | 6 cm       |
| <b>Design</b>                       |                      | Weight                         | 13.7 kg    |
| Type *                              | Wall-mounted         | <b>Packaging data</b>          |            |
| Product colour *                    | Black                | Package width                  | 730 mm     |
| Control type                        | Touch                | Package depth                  | 465 mm     |
| Cord length                         | 1.35 m               | Package height                 | 650 mm     |
| Built-in display *                  | ✗                    | Package weight                 | 18.3 kg    |
| Exhaust connection diameter         | 15 cm                |                                |            |

| Other features                                 |                 |
|------------------------------------------------|-----------------|
| Filter                                         | MCFB97   MCFB98 |
| Measured air pressure at best efficiency point | 435 Pa          |
| Grease filtering efficiency (GFE)              | 75.1%           |
| Fluid dynamic efficiency (FDE)                 | 29.2            |
| Country of origin                              | Poland          |



7333394074412

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.