



TP-Link Tapo C245D Spherical IP security camera Indoor 2304 x 1296 pixels Ceiling/wall

Brand : TP-Link

Product family: Tapo

Product code: TAPO C245D

Product name : C245D

Dual Lens Pan/Tilt Security Camera

TP-Link Tapo C245D Spherical IP security camera Indoor 2304 x 1296 pixels Ceiling/wall:

Superior Clarity and Coverage. Seamless Monitoring.

Two 2K 3MP lenses work together to capture a broader perspective, minimizing blind spots and delivering all-round protection for your home.

TP-Link Tapo C245D. Type: IP security camera, Placement supported: Indoor, Connectivity technology: Wireless. Mounting type: Ceiling/wall, Product colour: White, Form factor: Spherical. Lens viewing angle, horizontal: 104.3°, Lens viewing angle, vertical: 57.9°, Lens viewing angle, diagonal: 121.8°. Sensor type: CMOS, Optical sensor size: 25.4 / 2.8 mm (1 / 2.8"). Digital zoom: 10.8x, Fixed focal length: 3.1 mm



Performance		Audio	
Type *	IP security camera	Built-in speaker(s)	✓
Placement supported *	Indoor	Audio system	2-way
Connectivity technology *	Wireless	Built-in microphone	✓
Wide Dynamic Range (WDR)	✓	Network	
Day/night mode	✓	Ethernet LAN *	✗
Design		Networking standards	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Form factor *	Spherical	Wi-Fi *	✓
Mounting type *	Ceiling/wall	Storage	
Product colour *	White	Built-in HDD *	✗
Camera		Card reader integrated	✓
Camera pan control	✓	Compatible memory cards	MicroSD (TransFlash)
Camera tilt control	✓	Maximum memory card size	512 GB
Lens viewing angle, horizontal	104.3°	Ports & interfaces	
Lens viewing angle, vertical	57.9°	DC-in jack	✓
Lens viewing angle, diagonal	121.8°	Security	
Tilt angle range	0 - 70°	Video motion detection	✓
Pan range	0 - 340°	Security algorithms	WPA2-PSK, WPA-PSK, WPA3-PSK
Image sensor		Management features	
Optical sensor size	25.4 / 2.8 mm (1 / 2.8")	Cloud-managed *	✓
Progressive scan	✓	Reset button	✓
Sensor type *	CMOS	Power	
Lens system		Power source type *	DC
Zoom capability	✓	DC output voltage	9
Digital zoom	10.8x		
Number of lenses *	2		
Maximum aperture number	1.6		

Lens system		Operational conditions	
Fixed focal length	3.1 mm	Operating temperature (T-T)	0 - 40 °C
Night vision		Storage temperature (T-T)	-20 - 60 °C
Night vision *	✓	Operating relative humidity (H-H)	10 - 90%
Night vision distance	12 m	Storage relative humidity (H-H)	0 - 90%
LED type	IR	Weight & dimensions	
Number of illumination LEDs	6	Width	82.2 mm
Infra-red wavelength	850 nm	Depth	82.2 mm
Video		Height	126.2 mm
Maximum resolution *	2304 x 1296 pixels	Packaging content	
Total megapixels *	3 MP	Number of cameras *	1
Frame rate	15 fps	Mounting brackets included	✓
		Screws included	✓

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.