



Canon EOS 850D SLR Camera Kit 24.1 MP CMOS 6000 x 4000 pixels Black

Brand : Canon

Product family: EOS

Product code: 3925C020

Product name : 850D

EOS 850D, 24.1 MP, CMOS, DIGIC 8, EF/EF-S, 3" LCD TFT, USB, Wi-Fi, Bluetooth, 3.5mm, HDMI mini, SD/SDHC/SDXC, Li-Ion, 131x1-2.6x76.2 mm, EF-S 18-135mm f/3.5-5.6 IS USM
Canon EOS 850D. Camera type: SLR Camera Kit, Megapixel (approx.): 24.1 MP, Sensor type: CMOS, Maximum image resolution: 6000 x 4000 pixels. ISO sensitivity (max): 25600. Focal length range: 18 - 135 mm. Fastest camera shutter speed: 1/4000 s. Wi-Fi. HD type: 4K Ultra HD, Maximum video resolution: 3840 x 2160 pixels. Display diagonal: 7.62 cm (3"), Touchscreen. Viewfinder type: Optical, Pentamirror. PictBridge. Product colour: Black

Picture quality		Memory	
Camera type *	SLR Camera Kit	Compatible memory cards *	SD, SDHC, SDXC
Megapixel (approx.) *	24.1 MP	Display	
Sensor type *	CMOS	Display *	TFT
Sensor cleaning system	EOS integrated	Touchscreen *	✓
Maximum image resolution *	6000 x 4000 pixels	Display diagonal *	7.62 cm (3")
Still image resolution(s) *	6000 x 4000, 3984 x 2656, 2976 x 1984, 2400x1600, 5328x4000, 3552x2664, 2656x1992, 2112x1600, 6000x3368, 984x2240, 2976x1680, 2400x1344, 4000x4000, 2656x2656, 1984x1984, 1600x1600,	Display diagonal (metric)	7.5 cm
		Display resolution	1040000 dot
		Display aspect ratio	3:2
		Flip-out screen	✓
		Vari-angle LCD display	✓
Image stabilizer *	✓	Field of view	100%
Image stabilizer location	Lens	Viewfinder	
Supported aspect ratios	3:2	Viewfinder type	Optical, Pentamirror
Total megapixels	25.8 MP	Magnification	0.82x
Image sensor size (W x H)	22.3 x 14.9 mm	Ports & interfaces	
Sensor format	Advanced Photo System type-C (APS-C)	PictBridge *	✓
Image formats supported *	JPEG, Raw	HDMI *	✓
Lens system		HDMI connector type	Mini
Focal length range	18 - 135 mm	Microphone in	✓
Minimum focal length (35mm film equiv)	29 mm	Network	
Maximum focal length (35mm film equiv)	216 mm	Bluetooth *	✓
Minimum aperture number	3.5	Bluetooth version	4.1
Maximum aperture number	5.6	Bluetooth Low Energy (BLE)	✓
Lens structure (elements/groups)	16/12	Wi-Fi *	✓
Filter size	67 mm	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Number of diaphragm blades	7	Near Field Communication (NFC) *	✓
Lens mount interface	Canon EF, Canon EF-S	Camera	
Focusing		White balance *	Auto, Cloudy, Custom modes, Daylight, Shade, Tungsten
Focus *	TTL	Scene modes *	Landscape, Portrait
Focus adjustment *	Auto/Manual	Shooting modes *	Auto, Manual
Auto focusing (AF) modes *	One Shot Focus, Single Auto Focus	Photo effects *	Black&White
Closest focusing distance	0.39 m	Dioptre correction	✓
Auto Focus (AF) points	45	Playback zoom (max)	10x
Auto Focus (AF) points selection	Auto, Manual	Histogram	✓
Auto Focus (AF) lock	✓	Live view	✓
Auto Focus (AF) assist beam	✓	Image editing	Crop, Resizing
Exposure			

Exposure		Camera	
ISO sensitivity (min) *	100	On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Greek, Hindi, Hungarian, Indonesian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Romanian, Russian, Swedish, Thai, Turkish, Ukrainian, Vietnamese
ISO sensitivity (max) *	25600		
ISO sensitivity	100, 12800, 25600		
Light exposure modes *	Aperture priority AE, Manual, Shutter priority AE		
Light exposure correction *	± 5EV (1/2EV; 1/3EV step)		
Light metering *	Centre-weighted, Evaluative (Multi-pattern), Partial, Spot	Camera file system	DPOF 1.1, Exif 2.31
Auto Exposure (AE) lock	✓	Eye relief	1.9 cm
Shutter		Playback modes	Repeat, Slideshow, Zoom
Fastest camera shutter speed *	1/4000 s	High Dynamic Range (HDR) supported	✓
Slowest camera shutter speed *	30 s	Built-in processor	✓
Camera shutter type	Electronic	Image processor	DIGIC 8
Flash		Design	
Flash modes *	Auto, Manual, Red-eye reduction	Product colour *	Black
Flash exposure lock	✓	Material	Aluminium, Polycarbonate
Flash guide number	12 m	Battery	
Flash recharging time	5 s	Battery technology *	Lithium-Ion (Li-Ion)
External flash connector	✓	Battery voltage	7.2 V
Flash sync-speed	1/200 s	Battery life (CIPA standard)	800 shots
Flash exposure compensation	✓	Battery capacity	1040 mAh
Flash exposure correction	±2EV (1/2, 1/3 EV step)	Battery type	LP-E17
Shoe mounting point	✓	Number of batteries supported	1
Shoe mounting point type	Hot shoe	Battery level indicator	✓
Video		Weight & dimensions	
Video recording *	✓	Width	131 mm
Maximum video resolution *	3840 x 2160 pixels	Depth	76.2 mm
HD type *	4K Ultra HD	Height	102.6 mm
Video resolutions	1280 x 720, 1920 x 1080, 3840 x 2160	Weight (including battery)	515 g
Video recording time	30 min	Lens diameter	7.74 cm
Resolution at capture speed	1280x720@50fps,	Lens length	9.6 cm
	1280x720@59.94fps,	Lens weight	515 g
	1920x1080@23.98fps,	Packaging data	
	1920x1080@25fps,	Quantity per pack	1 pc(s)
	1920x1080@29.97fps,	Packaging content	
	1920x1080@50fps,	Shoulder strap	✓
	1920x1080@59.94fps,	Power cord included	✓
	3840x2160@23.98fps,	Battery charger included	✓
	3840x2160@25fps,	Batteries included	✓
	3840x2160@29.97fps	Lens cap included	✓
Video formats supported	AVC, H.264, MP4, MPEG4	User guide	✓
Audio			
Built-in microphone *	✓		
Audio system	stereo		
Audio formats supported	AAC		



8714574665870

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.