

Series 6, Electric Hob, 60 cm, , PKF675FP2E



Optional accessories

HEZ394301 : Connecting strip

The glass-ceramic radiant hob: makes cooking and cleaning especially easy.

- **DirectSelect:** Direct, simple selection of the desired cooking zone, power and additional functions.
- **ReStart:** if something boils over, the cooktop automatically turns itself off and saves the last selected setting.
- **ComfortProfile:** Elegant, appealing design with bevelled front and metal strips on the side.
- **PowerBoost:** selectable boost in power output for a 20% shorter time to boiling.
- **ChildLock:** locks the control panel to prevent accidental changes in settings.

Technical data

Product name/family : Cooking zone ceramic

Construction type : Built-in

Energy input : Electric

Total number of positions that can be used at the same time : 4

Min. required niche size for installation (HxWxD) : 44 x 560-560 x 490-500 mm

Width of the appliance : 606 mm

Dimensions : 44 x 606 x 527 mm

Dimensions of the packed product (HxWxD) : 100 x 750 x 590 mm

Net weight : 7.7 kg

Gross weight : 8.4 kg

Residual heat indicator : Separate

Location of control panel : Hob front

Basic surface material : Ceramic

Color of surface : Black

Sealed Burners : No

heating with booster : Cooking zone front right

Power of heating element (kW) : 1.2 kW

Power of 3rd heating element (kW) : 2 kW

Power of 5th heating element (kW) : 1.2 kW

Connection Rating : 7000 W

Voltage : 220-240 V

Frequency : 50; 60 Hz

Main colour of product : Black

Energy input : Electric

Plug type : No plug (electrical connection by electrician)

Appliance Dimensions (h x w x d) (in) : + x x

Dimensions of the packed product : 3.93 x 23.22 x 29.52

Net weight : 17.000 lbs

Gross weight : 19.000 lbs

Total number of positions that can be used at the same time : 4

Min. required niche size for installation (HxWxD) : 44 x 560-560 x 490-500 mm

Dimensions : 44 x 606 x 527 mm

Dimensions of the packed product (HxWxD) : 100 x 750 x 590 mm

Net weight : 7.7 kg

Gross weight : 8.4 kg



Series 6, Electric Hob, 60 cm, , PKF675FP2E

**The glass-ceramic radiant hob: makes
cooking and cleaning especially easy.**

Installation

- Dimensions of the product (HxWxD mm): 44 x 606 x 527
- Required niche size for installation (HxWxD mm) : 44 x 560 x (490 - 500)
- Min. worktop thickness: 16 mm
- Connected load: 7000 W

- 60 cm: space for 4 pots or pans.

Flexibility of cooking zones

- Ring zone double: use regular or larger cookware on the expandable cooking zone.
- Cooking zone front left: 145 mm, 1.2 KW
- Cooking zone rear left: 180 mm, 2 KW
- Cooking zone rear right: 145 mm , 1.2 KW
- Cooking zone front right: 120 mm, 210 mm, 0.8 KW (max. power 2.6 KW)

Comfort & Convenience

- TouchControl MultiTouch: directly control the power with the imprinted touch bar.
- Variable 17-stage power settings for each zone: precisely adapt the heat with 17 power levels (9 main levels and 8 intermediate levels).
- on device: switches off the cooking zone at the end of the time set (e.g. for boiled eggs).
- on device: an alarm sounds at the end of the time set (e.g. for pasta).

Time saving & efficiency

- PowerBoost function in the front right zone: boil water more quickly thanks to 20% more energy than at the highest standard level.
- yes: in case of unintentional switch-off, restore all previous settings by switching on the hob again within 4 seconds.

Design


- Facette front and rear, side profiles

Safety

- 2 stage Hh residual heat indicator for each zone: indicates which cooking zones are still hot or warm.
- Safety lock: prevent unintended activation of the hob.
- Freeze function: wipe overboiled liquids without unintentionally changing settings (blocking all touch buttons for 30 seconds).
- Main on/off switch: switch off all cooking zones at the touch of a button.
- Power on indicator light: indicates if the hob is heating.
- Automatic safety switch-off: for safety reasons, heating stops after a preset time without interaction (customizable).
- yes: shows the electricity consumption of the last cooking process.

Series 6, Electric Hob, 60 cm, , PKF675FP2E

measurements in mm



- A:** Minimum distance from the hob cut-out to the wall.
- B:** Recessed depth
- C:** With fitted oven underneath min. 20, possibly more; see space requirements for the oven.