

# iiyama LH6552UHS-B1 Signage Display Digital signage flat panel 163.8 cm (64.5") IPS 500 cd/m<sup>2</sup> 4K Ultra HD Black Built-in processor Android 8.0 24/7

**Brand :** iiyama

**Product code:** LH6552UHS-B1

**Product name :** LH6552UHS-B1

iiyama LH6552UHS-B1. Product design: Digital signage flat panel. Display diagonal: 163.8 cm (64.5"), Display technology: IPS, Display resolution: 3840 x 2160 pixels, Display brightness: 500 cd/m<sup>2</sup>, HD type: 4K Ultra HD. Operating hours (hours/days): 24/7. Operating system installed: Android 8.0. Product colour: Black



| Display                     |                       | Performance                             |                                                                     |
|-----------------------------|-----------------------|-----------------------------------------|---------------------------------------------------------------------|
| Display diagonal *          | 163.8 cm (64.5")      | On Screen Display (OSD) languages       | Czech, German, English, Spanish, French, Italian, Japanese, Russian |
| Display technology *        | IPS                   | Operating hours (hours/days)            | 24/7                                                                |
| Display resolution *        | 3840 x 2160 pixels    | HDCP                                    | ✓                                                                   |
| Display brightness *        | 500 cd/m <sup>2</sup> | Mean time between failures (MTBF)       | 50000 h                                                             |
| HD type *                   | 4K Ultra HD           | <b>Power</b>                            |                                                                     |
| Touchscreen *               | ✗                     | Power consumption (typical) *           | 183 W                                                               |
| Native aspect ratio         | 16:9                  | Power consumption (standby) *           | 0.5 W                                                               |
| Response time               | 8 ms                  | Power consumption (off)                 | 0.5 W                                                               |
| Contrast ratio (typical)    | 1200:1                | Energy efficiency class (SDR)           | G                                                                   |
| Viewing angle, horizontal   | 178°                  | Energy efficiency class (HDR)           | Not available                                                       |
| Viewing angle, vertical     | 178°                  | Energy consumption (SDR) per 1000 hours | 190 kWh                                                             |
| Display number of colours   | 1.07 billion colours  | AC input voltage                        | 100-240 V                                                           |
| Pixel pitch                 | 0.372 x 0.372 mm      | AC input frequency                      | 50 - 60 Hz                                                          |
| Active display area (W x H) | 1428.5 x 803.5 mm     | <b>Computer system</b>                  |                                                                     |
| Display diagonal (metric)   | 163.9 cm              | Computer system *                       | ✓                                                                   |
| Vertical scan range         | 30 - 80 Hz            | Built-in processor *                    | ✓                                                                   |
| Native refresh rate         | 60 Hz                 | Internal memory                         | 3 GB                                                                |
| Ports & interfaces          |                       | Internal storage capacity               | 32 GB                                                               |
| HDMI ports quantity *       | 3                     | Operating system installed              | Android 8.0                                                         |
| HDMI input ports quantity   | 3                     | <b>Weight &amp; dimensions</b>          |                                                                     |
| DVI port *                  | ✓                     | Display width                           | 1462.3 mm                                                           |
| VGA (D-Sub) input ports     | 1                     | Display depth                           | 93.4 mm                                                             |
| DisplayPorts quantity *     | 2                     | Display height                          | 837.3 mm                                                            |
| DisplayPorts in             | 1                     | Display weight                          | 27.8 kg                                                             |
| DisplayPorts out            | 1                     | <b>Packaging data</b>                   |                                                                     |
| USB port *                  | ✓                     | Package width                           | 1616 mm                                                             |
| USB ports quantity          | 2                     | Package depth                           | 998 mm                                                              |
| USB version                 | 2.0                   | Package height                          | 187 mm                                                              |
| Ethernet LAN (RJ-45) ports  | 1                     | Package weight                          | 35 kg                                                               |
| PC Audio in                 | ✓                     |                                         |                                                                     |
| RS-232C                     | ✓                     |                                         |                                                                     |
| Card reader integrated      | ✓                     |                                         |                                                                     |
| Compatible memory cards     | MicroSD (TransFlash)  |                                         |                                                                     |

| Audio                       |                            | Packaging content           |                       |
|-----------------------------|----------------------------|-----------------------------|-----------------------|
| Built-in speaker(s) *       | ✓                          | Remote control included     | ✓                     |
| Number of built-in speakers | 2                          | Batteries included          | ✓                     |
| RMS rated power             | 20 W                       | Cables included             | AC, HDMI, RS-232      |
| Design                      |                            | Operational conditions      |                       |
| Product design *            | Digital signage flat panel | Operating temperature (T-T) | 0 - 40 °C             |
| Placement supported *       | Indoor                     | Storage temperature (T-T)   | -20 - 60 °C           |
| Orientation                 | Horizontal/Vertical        | Logistics data              |                       |
| Product colour *            | Black                      | Harmonized System (HS) code | 85285210              |
| VESA mounting *             | ✓                          | Network                     |                       |
| Panel mounting interface    | 400 x 400 mm               | Ethernet LAN *              | ✓                     |
| Bezel width (bottom)        | 1.49 cm                    | Wi-Fi *                     | ✗                     |
| Bezel width (side)          | 1.49 cm                    | Technical details           |                       |
| Bezel width (top)           | 1.49 cm                    | Sustainability certificates | ErP                   |
| Performance                 |                            | Compliance certificates     | CE, REACH, RoHS, WEEE |
| Purpose *                   | Universal                  | Other features              |                       |
| On Screen Display (OSD)     | ✓                          | Power supply type           | Internal              |
| Number of OSD languages     | 10                         |                             |                       |



4948570118502

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.