

Govee H607C Smart floor lighting Wi-Fi/Bluetooth

Brand : Govee

Product code: H607C311

Product name : H607C

Wi-Fi/BT Floor lamp, 2200 - 6500 K, 1725 L, 2.4GHz, Voice control, G class, 35 kWh, 200 - 240V, 50/60Hz, 24VDC, 2A, Black, 140 x 140 x 1521mm

Govee H607C Smart floor lighting Wi-Fi/Bluetooth:

With Govee Black Floor Lamp, give your space the ambiance it deserves. This Wi-Fi LED corner floor lamp is Matter-compatible for hands-free convenience. Additionally, enjoy adjustable 2200k-6500k warm and cool white temperatures, music modes, preset lighting scenes, DIY customization, and smart group control via Govee DreamView.

Govee H607C. Type: Smart floor lighting, Interface: Wi-Fi/Bluetooth, Product colour: Black. Energy efficiency class: G, Energy consumption per 1000 hours: 35 kWh, Energy efficiency scale: A to G. Width: 140 mm, Depth: 140 mm, Height: 1521 mm. Package type: Box. Quantity per pack: 1 pc(s)



Features		Performance	
Type *	Smart floor lighting	Voice control	✓
Bulb type	LED	Applications support	✓
Interface *	Wi-Fi/Bluetooth	Power	
Product colour *	Black	Energy efficiency class	G
Colour changing	✓	Energy consumption per 1000 hours	35 kWh
Light colour	Multi	Energy efficiency scale	A to G
Colour temperature (min)	2200 K	Power source type	AC
Colour temperature (max)	6500 K	AC input frequency	50/60 Hz
Luminous flux	1725 lm	Rechargeable	✗
Color Rendering Index (CRI)	80	Output voltage	24 V
Suitable location	Universal	Output current	2 A
Suitable for light type	Ambience	AC input voltage	200 - 240 V
Placement	Floor	Weight & dimensions	
Suitable for indoor use	✓	Width	140 mm
Suitable for outdoor use	✗	Depth	140 mm
Dimmable	✓	Height	1521 mm
Adjustable colour temperature	✓	Packaging data	
Wi-Fi frequency	2.4 GHz	Package type	Box
Performance		Packaging content	
Smartphone/tablet remote support	✓	Quantity per pack *	1 pc(s)
Works with Amazon Alexa	✓	Remote control included	✓
Works with the Google Assistant	✓	AC adapter included	✓
Works with Apple HomeKit	✓		

Packaging content	
Manual	✓
Other features	
Operating temperature (T-T)	-10 - 40 °C



6974316999898

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.