



## HP E-Series E24i G4 WUXGA Monitor

**Brand :** HP

**Product family:** E-Series

**Product code:** 9VJ40AA#ABB

**Product name :** E24i G4  
WUXGA Monitor

- Keep your eyes comfortable through the work day with HP Eye Ease, our first built-in, always-on blue light filter that has zero impact on your color accuracy and works without an OSD.
  - Never lose a moment of productivity with 4-way monitor adjustability, a 3-sided micro-edge, flicker-free 24" (60.96) diagonal screen, and WUXGA resolution.
  - Energy efficiency is built into every ENERGY STAR® certified, EPEAT® 2020 registered<sup>[3]</sup>, and low halogen<sup>[4]</sup> display. We go one step further with 100% recyclable packaging.
- E24i G4 WUXGA Monitor

### HP E-Series E24i G4 WUXGA Monitor:

Enhance your entire viewing experience

Work comfortably and stay focused with the optimized ergonomics and WUXGA resolution of the HP E24i G4 WUXGA Monitor with HP Eye Ease that is designed around you. Make life easy for IT with remote manageability.



| Display                        |                                                                                                                                                                                                                       | Ergonomics                                |              |
|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|--------------|
| Display diagonal *             | 61 cm (24")                                                                                                                                                                                                           | Panel mounting interface                  | 100 x 100 mm |
| Display resolution *           | 1920 x 1200 pixels                                                                                                                                                                                                    | Cable lock slot *                         | ✓            |
| HD type *                      | WUXGA                                                                                                                                                                                                                 | Height adjustment *                       | ✓            |
| Native aspect ratio *          | 16:10                                                                                                                                                                                                                 | Adjustable height (max)                   | 15 cm        |
| Display technology *           | LCD                                                                                                                                                                                                                   | Pivot                                     | ✓            |
| Panel type *                   | IPS                                                                                                                                                                                                                   | Pivot angle                               | -90 - 90°    |
| Touchscreen *                  | ✗                                                                                                                                                                                                                     | Swivelling                                | ✓            |
| Display brightness (typical)   | 250 cd/m²                                                                                                                                                                                                             | Tilt adjustment                           | ✓            |
| Response time *                | 5 ms                                                                                                                                                                                                                  | Tilt angle range                          | -5 - 23°     |
| Response time measurement type | GTG (Gray to Gray)                                                                                                                                                                                                    | On Screen Display (OSD)                   | ✓            |
| Display surface                | Matt                                                                                                                                                                                                                  | Plug and Play                             | ✓            |
| Anti-glare screen              | ✓                                                                                                                                                                                                                     |                                           |              |
| Screen shape *                 | Flat                                                                                                                                                                                                                  |                                           |              |
| Supported graphics resolutions | 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 800, 1440 x 900 (WXGA+), 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA), 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA) | <b>Power</b>                              |              |
|                                |                                                                                                                                                                                                                       | Energy efficiency class (SDR) *           | D            |
| Aspect ratio                   | 16:10                                                                                                                                                                                                                 | Energy efficiency class (HDR) *           | D            |
| Contrast ratio (typical) *     | 1000:1                                                                                                                                                                                                                | Energy consumption (SDR) per 1000 hours * | 15 kWh       |
| Contrast ratio (dynamic)       | 5000000:1                                                                                                                                                                                                             | Power consumption (typical) *             | 36 W         |
| Maximum refresh rate *         | 60 Hz                                                                                                                                                                                                                 | Power consumption (standby) *             | 0.5 W        |
| Viewing angle, horizontal      | 178°                                                                                                                                                                                                                  | Power consumption (max)                   | 53 W         |
| Viewing angle, vertical        | 178°                                                                                                                                                                                                                  | Power consumption (off)                   | 0.3 W        |
| Display number of colours *    | 16.7 million colours                                                                                                                                                                                                  | AC input voltage                          | 100 - 240 V  |
| Pixel pitch                    | 0.27 x 0.27 mm                                                                                                                                                                                                        | Power supply type                         | Internal     |
| Pixel density                  | 94 ppi                                                                                                                                                                                                                | Energy efficiency scale                   | A to G       |
| Horizontal scan range          | 30 - 80 kHz                                                                                                                                                                                                           |                                           |              |
| Vertical scan range            | 50 - 60 Hz                                                                                                                                                                                                            | <b>Operational conditions</b>             |              |
| Viewable size, horizontal      | 51.8 cm                                                                                                                                                                                                               | Operating temperature (T-T)               | 5 - 35 °C    |
|                                |                                                                                                                                                                                                                       | Operating relative humidity (H-H)         | 5 - 95%      |
|                                |                                                                                                                                                                                                                       | Storage relative humidity (H-H)           | 20 - 80%     |

| Display                              |                       | Weight & dimensions                                                                                                                                                                                            |                                                                                                                                                                                                                     |
|--------------------------------------|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Viewable size, vertical              | 32.4 cm               | Width (with stand)                                                                                                                                                                                             | 532 mm                                                                                                                                                                                                              |
| Digital horizontal frequency         | 30 - 80 kHz           | Depth (with stand)                                                                                                                                                                                             | 206.9 mm                                                                                                                                                                                                            |
| Digital vertical frequency           | 50 - 60 Hz            | Height (with stand)                                                                                                                                                                                            | 509.6 mm                                                                                                                                                                                                            |
| Display diagonal (metric)            | 61 cm                 | Weight (with stand)                                                                                                                                                                                            | 6.06 kg                                                                                                                                                                                                             |
| Surface hardness                     | 3H                    | Width (without stand)                                                                                                                                                                                          | 532 mm                                                                                                                                                                                                              |
| Colour depth                         | 8 bit                 | Depth (without stand)                                                                                                                                                                                          | 47 mm                                                                                                                                                                                                               |
| Colour gamut standard                | sRGB                  | Height (without stand)                                                                                                                                                                                         | 352.7 mm                                                                                                                                                                                                            |
| Colour gamut                         | 99%                   | Packaging data                                                                                                                                                                                                 |                                                                                                                                                                                                                     |
| sRGB coverage (typical)              | 99%                   | Package width                                                                                                                                                                                                  | 605 mm                                                                                                                                                                                                              |
| Display bezel technology             | Micro-Edge            | Package depth                                                                                                                                                                                                  | 420 mm                                                                                                                                                                                                              |
| Performance                          |                       | Package height                                                                                                                                                                                                 | 224 mm                                                                                                                                                                                                              |
| NVIDIA G-SYNC *                      | ✗                     | Package weight                                                                                                                                                                                                 | 9.12 kg                                                                                                                                                                                                             |
| AMD FreeSync *                       | ✗                     | Package type                                                                                                                                                                                                   | Box                                                                                                                                                                                                                 |
| Flicker-free technology              | ✓                     | Packaging content                                                                                                                                                                                              |                                                                                                                                                                                                                     |
| Low Blue Light technology            | ✓                     | Stand included                                                                                                                                                                                                 | ✓                                                                                                                                                                                                                   |
| HP segment                           | Business              | Cables included                                                                                                                                                                                                | AC, DisplayPort, HDMI, USB                                                                                                                                                                                          |
| Multimedia                           |                       | Bundled software                                                                                                                                                                                               | HP Display Center; HP Display Manager                                                                                                                                                                               |
| Built-in speaker(s) *                | ✗                     | Sustainability                                                                                                                                                                                                 |                                                                                                                                                                                                                     |
| Built-in camera *                    | ✗                     | Sustainability compliance                                                                                                                                                                                      | ✓                                                                                                                                                                                                                   |
| Design                               |                       | Sustainability certificates                                                                                                                                                                                    | ENERGY STAR                                                                                                                                                                                                         |
| Market positioning *                 | Business              | Other features                                                                                                                                                                                                 |                                                                                                                                                                                                                     |
| Product colour *                     | Black                 | Country of origin                                                                                                                                                                                              | China                                                                                                                                                                                                               |
| Detachable stand                     | ✓                     | UNSPSC-code                                                                                                                                                                                                    | 43211902                                                                                                                                                                                                            |
| Feet colour                          | Silver                | Weight                                                                                                                                                                                                         | 6.06 kg                                                                                                                                                                                                             |
| Ports & interfaces                   |                       | Height                                                                                                                                                                                                         | 352.7 mm                                                                                                                                                                                                            |
| Built-in USB hub *                   | ✓                     | Width                                                                                                                                                                                                          | 532 mm                                                                                                                                                                                                              |
| USB hub version                      | 3.2 Gen 1 (3.1 Gen 1) | Depth                                                                                                                                                                                                          | 47 mm                                                                                                                                                                                                               |
| USB upstream port type               | USB Type-B            | Compliance certificates                                                                                                                                                                                        | BIS, BSMI, CB, CCC, CE, CECP, CEL, EAC, Federal Communications Commission (FCC), KCC, Norma Oficial Mexicana (NOM), VCCI, WEEE                                                                                      |
| USB Type-A downstream ports quantity | 4                     | Supplied AC adapter type                                                                                                                                                                                       | 194850096778                                                                                                                                                                                                        |
| VGA (D-Sub) ports quantity           | 1                     | Certification                                                                                                                                                                                                  | BIS; BSMI; CB; CCC; CE; CECP; CEL; EAC; ENERGY STAR®; FCC; ISO 9241-307; KC/KCC; NOM; PSB; SEPA; TUV LBL; TUV-S; VCCI; WEEE; ISC; California Energy Commission (CEC); WW application; ICE; TGM; TUV-GS; CEL Grade 2 |
| DVI port                             | ✗                     | Technical details                                                                                                                                                                                              |                                                                                                                                                                                                                     |
| HDMI *                               | ✓                     | General Product Safety Regulation (GPSR) URL <a href="https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true">https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true</a> |                                                                                                                                                                                                                     |
| HDMI ports quantity                  | 1                     | Logistics data                                                                                                                                                                                                 |                                                                                                                                                                                                                     |
| HDMI version                         | 1.4                   | Harmonized System (HS) code                                                                                                                                                                                    | 85285210                                                                                                                                                                                                            |
| DisplayPorts quantity                | 1                     |                                                                                                                                                                                                                |                                                                                                                                                                                                                     |
| DisplayPort version                  | 1.2                   |                                                                                                                                                                                                                |                                                                                                                                                                                                                     |
| Audio input                          | ✗                     |                                                                                                                                                                                                                |                                                                                                                                                                                                                     |
| Headphone out *                      | ✗                     |                                                                                                                                                                                                                |                                                                                                                                                                                                                     |
| HDCP                                 | ✓                     |                                                                                                                                                                                                                |                                                                                                                                                                                                                     |
| Ergonomics                           |                       |                                                                                                                                                                                                                |                                                                                                                                                                                                                     |
| VESA mounting *                      | ✓                     |                                                                                                                                                                                                                |                                                                                                                                                                                                                     |



0194850096761



194850096761

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 12-APR-2026. Prints or copies of Information are only valid on the printed Publication date