



DELL PowerEdge R360 server 960 GB Rack (1U) Intel Xeon 6 6333P 3.1 GHz 32 GB DDR5-SDRAM 700 W

Brand : DELL

Product family: PowerEdge

Product code: DV3W5

Product name : R360

- No OS

- Intel Xeon 6 6333P (18MB Cache, 3.1GHz)

- 32GB DDR5-SDRAM (1 x 32) & 960GB SSD

- iDRAC9, Enterprise 16G

Intel Xeon 6 6333P (18MB Cache, 3.1GHz), 32GB DDR5-SDRAM, 960GB SSD, LAN (Broadcom 5720),

Front PERC H755 Front Load, iDRAC9, Enterprise 16G, 700W, No OS



DELL PowerEdge R360 server 960 GB Rack (1U) Intel Xeon 6 6333P 3.1 GHz 32 GB DDR5-SDRAM 700 W:

Processing performance, GPU support

The 1U, single-socket PowerEdge R360 is an entry-level rack server for customers desiring versatility, affordability, and processing power.

DELL PowerEdge R360. Processor family: Intel Xeon 6, Processor frequency: 3.1 GHz, Processor model: 6333P. Internal memory: 32 GB, Internal memory type: DDR5-SDRAM, Memory layout (slots x size): 1 x 32 GB. Total storage capacity: 960 GB. Ethernet LAN. Power supply: 700 W. Chassis type: Rack (1U)



Processor		Expansion slots	
Processor manufacturer *	Intel	PCI Express x8 slots	1
Processor family *	Intel Xeon 6	PCI Express x16 slots	1
Processor model *	6333P	Design	
Processor frequency *	3.1 GHz	Chassis type *	Rack (1U)
Processor boost frequency	5.2 GHz	Product colour	Black
Performance cores	6	Bezel	✓
Processor cache	18 MB	Performance	
Number of processors installed	1	Remote administration	iDRAC9, Enterprise 16G
Thermal Design Power (TDP)	65 W	Software	
System bus rate	16 GT/s	Operating system installed *	✗
Processor threads	12	Compatible operating systems * Canonical® Ubuntu® Server LTS Microsoft® Windows Server® with Hyper-V RedHat® Enterprise Linux SUSE® Linux Enterprise Server VMware® ESXi®	
Memory types supported by processor	DDR5-SDRAM		
Memory clock speeds supported by processor	4800 MHz	Power	
Memory		Redundant power supply (RPS) support *	✗
Internal memory *	32 GB	Power supply *	700 W
Internal memory type *	DDR5-SDRAM	Number of main power supplies	1
Buffered memory type	Unregistered (unbuffered)	Power supply input voltage	200 - 240 V
Memory slots	4x DIMM	Power cable length	2 m
ECC	✓	Power cable connector 1	C13 coupler
Memory layout (slots x size)	1 x 32 GB	Power cable connector 2	C14 coupler
Memory data transfer rate	5600 MT/s	Power cable current	10 A
Maximum internal memory *	128 GB	Certificates	
Storage		80 PLUS certification	80 PLUS Titanium
Total storage capacity *	960 GB		
Number of SSDs installed	2		
SSD capacity	480 GB		

Storage		Carbon footprint	
SSD interface	SATA III	Total carbon footprint (kg of CO2e)	1140
SSD size	2.5"	Total carbon emissions, standard deviation (kg of CO2e)	943
Supported SSD sizes	2.5"	Carbon emissions, manufacturing (kg of CO2e)	307.8
Number of SSDs supported	8	Carbon emissions, logistics (kg of CO2e)	102.6
RAID support *	✗	Carbon emissions, energy usage (kg of CO2e)	718.2
Supported RAID controllers	Front PERC H755 Front Load	Carbon emissions, end-of-life (kg of CO2e)	11.4
Hot-Plug support	✓	PAIA version	1.4.0, 2024
Optical drive type *	✗	Weight & dimensions	
Network		Width	482 mm
LAN controller	Broadcom 5720	Height	42.8 mm
Ethernet LAN	✓	Packaging content	
Ethernet interface type	Gigabit Ethernet	Packaging content	ReadyRails™ Sliding Rails Without Cable Management Arm
Ports & interfaces		Other features	
Ethernet LAN (RJ-45) ports *	2	Data transfer rate	6 Gbit/s
USB 2.0 ports quantity	2	Bytes per sector	512
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Target workload	Read Intensive (RI)
VGA (D-Sub) ports quantity	1		
Serial ports quantity	1		



5397184960509

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.