



DELL Pro Plus P2425H computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Black

Brand : DELL

Product family: Pro Plus

Product code: DELL-P2425HHF

Product name : P2425H

DELL Pro Plus P2425H. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal *	60.5 cm (23.8")	Height adjustment *	✓
Display resolution *	1920 x 1080 pixels	Adjustable height (max)	15 cm
HD type *	Full HD	Pivot	✓
Native aspect ratio *	16:9	Pivot angle	-90 - 90°
Display technology *	LCD	Swivelling	✓
Panel type *	IPS	Swivel angle range	-45 - 45°
LED backlight	✓	Tilt adjustment	✓
Touchscreen *	✗	Tilt angle range	-5 - 21°
Display brightness (typical)	250 cd/m²	On Screen Display (OSD)	✗
Response time *	8 ms	Plug and Play	✓
Anti-glare screen	✓	LED indicators	✓
Screen shape *	Flat		
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 900, 1920 x 1080 (HD 1080)	Power	
		Energy efficiency class (SDR) *	C
Supported video modes	480p, 576p, 720p, 1080p	Energy efficiency class (HDR) *	Not available
		Energy consumption (SDR) per 1000 hours *	12 kWh
Contrast ratio (typical) *	1500:1	Power consumption (typical) *	11.7 W
Maximum refresh rate *	100 Hz	Power consumption (standby) *	0.3 W
Viewing angle, horizontal	178°	Power consumption (max)	65 W
Viewing angle, vertical	178°	Power consumption (off)	0.3 W
Display number of colours *	16.7 million colours	AC input voltage	100 - 240 V
Response time (fast)	5 ms	AC input frequency	50/60 Hz
Pixel pitch	0.2745 x 0.2745 mm	Input current	1.5 A
Pixel density	92.53 ppi	Power supply type	Internal
Horizontal scan range	30 - 110 kHz	Energy efficiency scale	A to G
Vertical scan range	48 - 100 Hz		
Viewable size, horizontal	52.7 cm	Operational conditions	
Viewable size, vertical	29.6 cm	Operating temperature (T-T)	0 - 40 °C

Display		Operational conditions	
Viewable size diagonal	60.5 cm	Storage temperature (T-T)	-20 - 60 °C
Surface hardness	3H	Operating relative humidity (H-H)	10 - 80%
sRGB coverage (typical)	99%	Storage relative humidity (H-H)	5 - 90%
Dell ComfortView technology	✓	Operating altitude	0 - 5000 m
Performance		Non-operating altitude	0 - 12192 m
NVIDIA G-SYNC *	✗	Weight & dimensions	
AMD FreeSync *	✗	Width (with stand)	538.6 mm
Flicker-free technology	✓	Depth (with stand)	181.8 mm
Low Blue Light technology	✓	Height (with stand)	364 mm
Windows operating systems supported	Windows 10, Yes	Weight (with stand)	4.61 kg
Mac operating systems supported	MacOS	Width (without stand)	538.6 mm
Multimedia		Depth (without stand)	50 mm
Built-in speaker(s) *	✗	Height (without stand)	314.2 mm
Built-in camera *	✗	Weight (without stand)	3.12 kg
Design		Bezel width (side)	5.8 mm
Product colour *	Black	Bezel width (top)	5.8 mm
Front bezel colour	Black	Bezel width (bottom)	1.2 cm
Feet colour	Grey	Packaging data	
Ports & interfaces		Package weight	6.78 kg
Built-in USB hub *	✓	USB cable length	1.8 m
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Packaging content	
Number of USB Type-B upstream ports quantity	1	Stand included	✓
USB Type-A downstream ports quantity	3	Cables included	AC, DisplayPort, USB Type-A, USB Type-A to USB Type-B
USB Type-C downstream ports quantity	1	Quick start guide	✓
USB Power Delivery (USB PD)	✓	DisplayPort cable length	1.8 m
USB Power Delivery up to	15 W	HDMI cable length	1.8 m
VGA (D-Sub) ports quantity	1	Sustainability	
HDMI *	✓	Sustainability compliance	✓
HDMI ports quantity	1	Doesn't contain	Arsenic, Halogen, Mercury, PVC/BFR
HDMI version	1.4	Carbon footprint	
DisplayPorts quantity	1	Total carbon footprint (kg of CO2e)	155
DisplayPort version	1.2	Carbon emissions, manufacturing (kg of CO2e)	80.6
Headphone out *	✗	Carbon emissions, logistics (kg of CO2e)	12.71
HDCP	✓	Carbon emissions, energy usage (kg of CO2e)	57.66
HDCP version	1.4	Carbon emissions, end-of-life (kg of CO2e)	4.03
AC (power) in	✓	PAIA version	GaBi version 1, 2024
Ergonomics		Brand-specific features	
VESA mounting *	✓	Dell Display Manager (DDM) compatibility	✓
Panel mounting interface	100 x 100 mm		
Cable management	✓		
Cable lock slot *	✓		
Cable lock slot type	Kensington		



5397184962787

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.