

## Electrolux LFG716X Built-in Stainless steel 580 m³/h

**Brand :** Electrolux

**Product code:** 942 022 572

**Product name :** LFG716X

Electrolux LFG716X. Maximum extraction power: 580 m³/h, Type of extraction: Ducted/Recirculating, Fluid dynamic efficiency class: A. Type: Built-in, Product colour: Stainless steel, Control type: Buttons. Grease filter type: Metal. Bulb power: 5 W, Number of bulbs: 2 bulb(s), Bulb type: LED. Energy efficiency class: A, Annual energy consumption: 54.7 kWh, Energy efficiency scale: A+++ to G



| Performance                         |                      | Lighting                                       |                     |
|-------------------------------------|----------------------|------------------------------------------------|---------------------|
| Maximum extraction power *          | 580 m³/h             | Bulb type                                      | LED                 |
| Type of extraction *                | Ducted/Recirculating | Colour temperature                             | 3000 K              |
| Fluid dynamic efficiency class *    | A                    | Lighting efficiency (LE)                       | 44.2 lux/W          |
| Lighting efficiency class *         | A                    | Power                                          |                     |
| Grease filtering efficiency class * | D                    | Energy efficiency class *                      | A                   |
| Boost position air extraction power | 700 m³/h             | Energy efficiency scale                        | A+++ to G           |
| Number of speeds *                  | 3                    | Motor power                                    | 250 W               |
| Intensive speed                     | ✓                    | Power consumption (standby)                    | 0.49 W              |
| Noise level *                       | 67 dB                | Annual energy consumption *                    | 54.7 kWh            |
| Noise level (low speed)             | 54 dB                | AC input voltage                               | 220-240 V           |
| Noise level (high speed)            | 67 dB                | AC input frequency                             | 50 Hz               |
| Noise level (intensive speed)       | 70 dB                | Energy efficiency class (old)                  | A                   |
| Pressure (Pa)                       | 530                  | Weight & dimensions                            |                     |
| Airflow (low speed)                 | 300 m³/h             | Width *                                        | 530 mm              |
| Minimum distance from electric hob  | 50 cm                | Depth                                          | 287 mm              |
| Minimum distance from gas hob       | 57 cm                | Height                                         | 331 mm              |
| Design                              |                      | Height (min)                                   | 3.3 cm              |
| Type *                              | Built-in             | Height (max)                                   | 33.1 cm             |
| Product colour *                    | Stainless steel      | Height without chimney                         | 33.1 cm             |
| Hob²Hood function                   | ✓                    | Weight                                         | 9 kg                |
| Control type                        | Buttons              | Installation compartment width                 | 49.3 cm             |
| Cord length                         | 1.5 m                | Installation compartment depth                 | 27.3 cm             |
| Built-in display *                  | ✗                    | Packaging data                                 |                     |
| Exhaust connection diameter         | 15 cm                | Package width                                  | 610 mm              |
| Number of motors                    | 1                    | Package depth                                  | 450 mm              |
| Motor included                      | ✓                    | Package height                                 | 390 mm              |
| Filtering                           |                      | Package weight                                 | 11.3 kg             |
| Grease filter type *                | Metal                | Other features                                 |                     |
| Filter cleaning indicator           | ✓                    | Filter                                         | ECFB01ST   ECFBPL02 |
| Washable filter                     | ✓                    | Measured air pressure at best efficiency point | 436 Pa              |
| Lighting                            |                      | Grease filtering efficiency (GFE)              | 65.1%               |
| Bulb power                          | 5 W                  |                                                |                     |

| Lighting        |           | Other features                 |        |
|-----------------|-----------|--------------------------------|--------|
| Number of bulbs | 2 bulb(s) | Fluid dynamic efficiency (FDE) | 29.2   |
|                 |           | Country of origin              | Poland |



7332543794300

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.