



AOC P2 Q32P2 computer monitor 80 cm (31.5") 2560 x 1440 pixels 2K Ultra HD LED Black

Brand : AOC

Product family: P2

Product code: Q32P2

Product name : Q32P2



Screen size (inch) 31.5, Panel resolution 2560x1440, Refresh rate 75 Hz, Panel type IPS, HDMI HDMI 1.4 x 2, Display Port DisplayPort 1.2 x 1, Sync technology (VRR) Adaptive Sync

AOC P2 Q32P2 computer monitor 80 cm (31.5") 2560 x 1440 pixels 2K Ultra HD LED Black:

Comfort, quality and productivity in a 31.5" QHD display

The Q32P2 features a flat 31.5" IPS panel with QHD resolution. Perfect for professionals and home offices, it ensures ultimate comfort and maximum productivity with its 180° swivel, its Low Blue Light technology, and the USB hub.

AOC P2 Q32P2. Display diagonal: 80 cm (31.5"), Display resolution: 2560 x 1440 pixels, HD type: 2K Ultra HD, Display technology: LED, Display surface: Matt, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal *	80 cm (31.5")	Cable lock slot *	✓
Display resolution *	2560 x 1440 pixels	Cable lock slot type	Kensington
HD type *	2K Ultra HD	Height adjustment *	✓
Native aspect ratio *	16:9	Adjustable height (max)	15 cm
Display technology *	LED	Pivot	✓
Panel type *	IPS	Pivot angle	0 - 180°
LED backlight	✓	Swivelling	✓
Backlight type	W-LED	Swivel angle range	-180 - 180°
Touchscreen *	✗	Tilt adjustment	✓
Display brightness (typical)	250 cd/m²	Tilt angle range	-5 - 21°
Response time *	4 ms	On Screen Display (OSD)	✓
Response time measurement type	GTG (Gray to Gray)	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, Dutch, English, Finnish, French, German, Italian, Japanese, Korean, Croatian, Polish, Portuguese, Russian, Spanish, Swedish, Turkish, Ukrainian
Display surface	Matt		
Anti-glare screen	✓		
Screen shape *	Flat	Number of OSD languages	16
Supported graphics resolutions	1920 x 1080 (HD 1080), 2560 x 1440	Plug and Play	✓
Supported video modes	1080p, 1440p	Power	
Aspect ratio	4:3, 16:9	Energy efficiency class (SDR) *	F
Contrast ratio (typical) *	1000:1	Energy efficiency class (HDR) *	Not available
Contrast ratio (dynamic)	50000000:1	Energy consumption (SDR) per 1000 hours *	32 kWh
Maximum refresh rate *	75 Hz	Power consumption (typical) *	35 W
Viewing angle, horizontal	178°	Power consumption (standby) *	0.5 W
Viewing angle, vertical	178°	Power consumption (off)	0.3 W
Display number of colours *	1.07 billion colours	AC input voltage	100 - 240 V
Pixel pitch	0.2737 x 0.2737 mm	AC input frequency	50/60 Hz
Viewable size, horizontal	69.8 cm	Power supply type	Internal
Viewable size, vertical	39.3 cm	Energy efficiency scale	A to G
Digital horizontal frequency	30 - 114 kHz	Operational conditions	
Display diagonal (metric)	80.01 cm	Operating temperature (T-T)	0 - 40 °C
Surface hardness	3H	Storage temperature (T-T)	-20 - 55 °C
Colour depth	10 bit	Operating relative humidity (H-H)	10 - 85%
sRGB coverage (typical)	102%	Storage relative humidity (H-H)	5 - 93%
NTSC coverage (typical)	72%		
Adobe RGB coverage	75%		

Performance		Weight & dimensions	
NVIDIA G-SYNC *	✗	Width (with stand)	730.2 mm
AMD FreeSync *	✗	Depth (with stand)	275.1 mm
Fast charging	✓	Height (with stand)	650.6 mm
VESA Adaptive Sync support	✓	Weight (with stand)	9.5 kg
Flicker-free technology	✓	Width (without stand)	730.2 mm
Low Blue Light technology	✓	Depth (without stand)	57.7 mm
		Height (without stand)	434.2 mm
Multimedia		Packaging data	
Number of speakers	2	Package width	835 mm
RMS rated power	6 W	Package depth	225 mm
Built-in speaker(s) *	✓	Package height	545 mm
Built-in microphone	✗	Package weight	12.3 kg
Built-in camera *	✗	Package type	Box
Design		Packaging content	
Market positioning *	Business	Stand included	✓
Product colour *	Black	Cables included	AC, HDMI, DisplayPort
Front bezel colour	Black	DisplayPort cable length	1.8 m
Detachable stand	✓	HDMI cable length	1.8 m
Feet colour	Black	Power cable length	1.8 m
Ports & interfaces		Sustainability	
Built-in USB hub *	✓	Doesn't contain	Mercury, PVC/BFR
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Other features	
USB Type-A downstream ports quantity	4	Compatibility	VESA-P2
DVI port	✗	Exterior finish type	Textured
HDMI *	✓	Heavy metals free	Hg (mercury)
HDMI ports quantity	2	Bezel thickness type	Narrow
HDMI version	1.4	Warranty period	3 year(s)
DisplayPorts quantity	1	Compliance certificates	WEEE
DisplayPort version	1.2	Mean time between failures (MTBF)	50000 h
Audio input	✗	Light effects	✗
Headphone out *	✓	Certification	WEEE,REACH compliant,RoHs compliant,CB,Microsoft WHQL
Headphone outputs	1	Recycling data	
Headphone connectivity	3.5 mm	Recyclable packaging material	100%
DC-in jack	✗	Logistics data	
Ergonomics		Harmonized System (HS) code	85285210
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		



4038986118170

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.