



Canon EOS R50, Black + RF-S 18-45mm F4.5-6.3 IS STM Kit



Brand : Canon

Product family: EOS

Product code: 5811C035

Product name : EOS R50,
Black + RF-S 18-45mm F4.5-6.3
IS STM Kit

EOS R50 Mirrorless Camera Content Creator Kit, Black

Canon EOS R50, Black + RF-S 18-45mm F4.5-6.3 IS STM Kit:

Create your best, top performing content with the Canon EOS R50 that shoots professional-looking stills and 4K 30p movies to show off your creativity. Featuring a compact, lightweight design and a large 24.2 megapixel APS-C sized sensor, this EOS R mirrorless all-rounder delivers your passion to your followers in true-to-life quality. Capture more angles than you thought possible due to the flexible Vari-angle touchscreen. When you need to block out distractions, shoot through the electronic viewfinder for the most immersive experience. A great portable camera, the EOS R50's deep learning Dual Pixel CMOS AF II automatically recognises, focusses on and tracks your moving subject, so you never miss a shot. Your creative breakthrough awaits.

Picture quality		Display	
Image sensor aspect ratio	3:2	Display diagonal (metric)	7.5 cm
Camera type *	MILC	Display resolution	1620000 dot
Megapixel (approx.) *	24.2 MP	Display aspect ratio	3:2
Sensor type *	CMOS	Vari-angle LCD display	✓
Maximum image resolution *	6000 x 4000 pixels	Viewfinder	
Still image resolution(s) *	6000 x 4000, 3984 x 2656, 2976 x 1984, 2400 x 1600, 5328 x 4000,	Viewfinder type	Electronic
	3552 x 2664, 2656 x 1992, 2112 x 1600, 4000 x 4000, 2656 x 2656,	Magnification	0.95x
	1984 x 1984, 1600 x 1600	Viewfinder screen size	0.39"
		Viewfinder frame rate (power saving mode)	60 fps
Image stabilizer *	✗	Viewfinder frame rate (smooth mode)	120 fps
Supported aspect ratios	1:1, 3:2, 4:3, 16:9	Viewfinder resolution (approx.)	2360000 pixels
Image sensor size (W x H)	22.3 x 14.9 mm	Ports & interfaces	
Sensor format	Advanced Photo System type-C (APS-C)	PictBridge *	✓
Built-in low-pass filter	✓	USB version *	2.0
Image formats supported *	JPEG, Raw, C-Raw, HEIF	USB connector	USB Type-C
Lens system		HDMI *	✓
Focal length range	18 - 45 mm	HDMI version	2.0
Minimum focal length (35mm film equiv)	29 mm	HDMI connector type	Micro
Maximum focal length (35mm film equiv)	72 mm	Microphone in	✓
Minimum aperture number	32	Network	
Maximum aperture number	4.5	Bluetooth *	✓
Lens structure (elements/groups)	7/7	Bluetooth version	4.2
Lens type	Standard zoom	Bluetooth Low Energy (BLE)	✓
Filter size	49 mm	Wi-Fi *	✓
Number of diaphragm blades	7	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Lens mount interface	Canon RF	Camera	
Focusing		White balance *	Auto, Cloudy, Custom modes, Daylight, Flash, Fluorescent, Manual, Shade, Tungsten
Focus *	TTL		
Focus adjustment *	Auto/Manual		
Auto focusing (AF) modes *	Continuous Auto Focus, One Shot Focus, Servo Auto Focus		

Focusing		Camera		
Auto Focus (AF) object detection	Animal, Bird, CAT, Dog, People, Vehicle	Scene modes *	Children, Close-up (macro), Food, Group photo, HDR backlight control, Handheld night scene, Landscape, Panning, Panorama, Portrait, Self-portrait, Silent shutter, Smooth skin, Sports	
Face tracking	✓			
Auto Focus (AF) lock	✓			
Auto Focus (AF) assist beam	✓			
Exposure		Shooting modes *	Aperture priority, Auto, Intelligent auto, Manual, Program, Scene, Shutter priority	
ISO sensitivity (min) *	100	Self-timer delay *		2,10 s
ISO sensitivity (max) *	51200	Dioptrre correction		✓
ISO sensitivity	100, 6400, 25600, 51200	Dioptr adjustment (D-D)		-3 - 1
Light exposure modes *	Aperture priority AE, Auto, Manual, Shutter priority AE	Histogram	✓	
Light exposure control	Program AE	Live view	✓	
Light exposure correction *	± 3EV (1/3EV step)	Direct printing	✓	
Light metering *	Centre-weighted, Evaluative (Multi-pattern), Partial, Spot	GPS (satellite)	✗	
Auto Exposure (AE) lock	✓	Orientation sensor	✓	
Number of measurement zones	384	Anti-dust function	✗	
Exposure bracketing (AEB)	± 3EV (1/2EV; 1/3EV stop)	Smartphone/tablet remote support	✓	
Anti-flicker shooting	✓	View on smartphone	✓	
Shutter		Playback zoom (min)	1.5x	
Fastest camera shutter speed *	1/8000 s	Playback zoom number of steps	15	
Slowest camera shutter speed *	30 s	Erase protection options	Folder, Memory card, Single image	
Camera shutter type	Electronic	Tripod mounting supported *	✓	
Flash		Slideshow	✓	
Flash exposure lock	✓	Image processor	DIGIC X	
Flash guide number	6 m	Design		
External flash connector	✓	Product colour *	Black	
Flash exposure compensation	✓	Dustproof	✗	
Flash exposure correction	±3EV (1/3 EV step)	Splash proof	✗	
Shoe mounting point	✓	Battery		
Video		Battery technology *	Lithium-Ion (Li-Ion)	
Video recording *	✓	Battery type	LP-E17	
Maximum video resolution *	3840 x 2160 pixels	Number of batteries supported	1	
HD type *	4K Ultra HD	Battery level indicator	✓	
Video resolutions	1920 x 1080,3840 x 2160 pixels	Battery level indicator number of levels	4	
Video formats supported	H.264, H.265	Operational conditions		
Colour sampling	YCbCr4:2:0 8-bit, YCbCr4:2:2 10-bit	Operating temperature (T-T)	0 - 40 °C	
Audio		Weight & dimensions		
Built-in microphone *	✓	Width	116.3 mm	
Built-in speaker(s)	✓	Depth	68.8 mm	
Audio system	stereo	Height	85.5 mm	
Wind filter	✓	Weight	328 g	
Audio formats supported	LPCM, AAC	Weight (including battery)	375 g	
Memory		Lens weight	130 g	
Compatible memory cards *	SD, SDHC, SDXC	Packaging content		
Memory slots	1	Wrist strap included	✓	
Display		Battery charger included	✓	
Display *	LCD	Batteries included	✓	
Touchscreen *	✓	Remote control included	✓	
		Carrying case	✓	
		Lens cap included	✓	
		Logistics data		
		Products per pallet	120 pc(s)	



8714574676050

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.