



## DELL S Series S2725HSM computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD White

**Brand :** DELL

**Product family:** S Series

**Product code:** DELL-S2725HSM

**Product name :** S2725HSM

- 68.6cm (27") Full HD 1920 x 1080 Edge LED IPS

- 8ms, 16:9, 300cd/m<sup>2</sup>, 1500:1

- HDMI

68.6cm (27") Full HD 1920 x 1080 Edge LED IPS, 16:9, 300cd/m<sup>2</sup>, 16.7M, 8ms, 178°/178°, 1500:1

**DELL S Series S2725HSM computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD White:**

Enjoy crisp and smooth visuals with this 27-inch FHD monitor featuring 144Hz refresh rate, built-in speakers and TÜV 4-star eye comfort certification.

DELL S Series S2725HSM. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting, Height adjustment. Product colour: White



| Display                        |                                                                                                                                          | Ergonomics                                |               |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|---------------|
| Display diagonal *             | 68.6 cm (27")                                                                                                                            | Panel mounting interface                  | 100 x 100 mm  |
| Display resolution *           | 1920 x 1080 pixels                                                                                                                       | Cable management                          | ✓             |
| HD type *                      | Full HD                                                                                                                                  | Cable lock slot *                         | ✓             |
| Native aspect ratio *          | 16:9                                                                                                                                     | Height adjustment *                       | ✓             |
| Display technology *           | LCD                                                                                                                                      | Adjustable height (max)                   | 11 cm         |
| Panel type *                   | IPS                                                                                                                                      | Pivot                                     | ✓             |
| LED backlight                  | ✓                                                                                                                                        | Pivot angle                               | -90 - 90°     |
| Backlight type                 | Edge LED                                                                                                                                 | Swivelling                                | ✓             |
| Touchscreen *                  | ✗                                                                                                                                        | Swivel angle range                        | -30 - 30°     |
| Display brightness (typical)   | 300 cd/m <sup>2</sup>                                                                                                                    | Tilt adjustment                           | ✓             |
| Response time *                | 8 ms                                                                                                                                     | Tilt angle range                          | -5 - 21°      |
| Response time measurement type | GTG (Gray to Gray)                                                                                                                       | On Screen Display (OSD)                   | ✓             |
| Response time (MPRT)           | 1 ms                                                                                                                                     | Plug and Play                             | ✓             |
| Anti-glare screen              | ✓                                                                                                                                        | LED indicators                            | ✓             |
| Screen shape *                 | Flat                                                                                                                                     |                                           |               |
| Supported graphics resolutions | 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1600 x 900, 1920 x 1080 (HD 1080) | Power                                     |               |
|                                | 480p, 576p, 720p, 1080i, 1080p                                                                                                           | Energy efficiency class (SDR) *           | D             |
| Supported video modes          | 480p, 576p, 720p, 1080i, 1080p                                                                                                           | Energy efficiency class (HDR) *           | Not available |
| Contrast ratio (typical) *     | 1500:1                                                                                                                                   | Energy consumption (SDR) per 1000 hours * | 17 kWh        |
| Maximum refresh rate *         | 144 Hz                                                                                                                                   | Power consumption (typical) *             | 17 W          |
| Viewing angle, horizontal      | 178°                                                                                                                                     | Power consumption (standby) *             | 0.5 W         |
| Viewing angle, vertical        | 178°                                                                                                                                     | Power consumption (max)                   | 43 W          |
| Display number of colours *    | 16.7 million colours                                                                                                                     | Power consumption (off)                   | 0.3 W         |
| Response time (fast)           | 5 ms                                                                                                                                     | AC input voltage                          | 100 - 240 V   |
| Pixel pitch                    | 0.3114 x 0.3114 mm                                                                                                                       | AC input frequency                        | 50/60 Hz      |
| Pixel density                  | 82 ppi                                                                                                                                   | Input current                             | 1 A           |
| Horizontal scan range          | 30 - 163 kHz                                                                                                                             | Power supply type                         | Internal      |
| Vertical scan range            | 48 - 144 Hz                                                                                                                              | Energy efficiency scale                   | A to G        |
| Viewable size, horizontal      | 59.8 cm                                                                                                                                  | Operational conditions                    |               |
| Viewable size, vertical        | 33.6 cm                                                                                                                                  | Operating temperature (T-T)               | 0 - 40 °C     |


| Display                             |           | Operational conditions                   |                           |
|-------------------------------------|-----------|------------------------------------------|---------------------------|
| Viewable size diagonal              | 68.6 cm   | Storage temperature (T-T)                | -20 - 60 °C               |
| Display diagonal (metric)           | 68.58 cm  | Operating relative humidity (H-H)        | 10 - 80%                  |
| Surface hardness                    | 3H        | Storage relative humidity (H-H)          | 5 - 90%                   |
| Colour depth                        | 8 bit     | Operating altitude                       | 0 - 5000 m                |
| sRGB coverage (typical)             | 99%       | Non-operating altitude                   | 0 - 12192 m               |
| Response time (extreme)             | 4 ms      | Weight & dimensions                      |                           |
| Performance                         |           | Width (with stand)                       | 609.7 mm                  |
| NVIDIA G-SYNC *                     | ✗         | Depth (with stand)                       | 201.8 mm                  |
| AMD FreeSync *                      | ✓         | Height (with stand)                      | 389.1 mm                  |
| AMD FreeSync type                   | FreeSync  | Weight (with stand)                      | 5.5 kg                    |
| Flicker-free technology             | ✓         | Width (without stand)                    | 609.7 mm                  |
| Low Blue Light technology           | ✓         | Depth (without stand)                    | 58.9 mm                   |
| Windows operating systems supported | ✓         | Height (without stand)                   | 354.2 mm                  |
| Multimedia                          |           | Weight (without stand)                   | 3.95 kg                   |
| Number of speakers                  | 2         | Bezel width (side)                       | 5.9 mm                    |
| RMS rated power                     | 6 W       | Bezel width (top)                        | 5.89 mm                   |
| Built-in speaker(s) *               | ✓         | Bezel width (bottom)                     | 1.2 cm                    |
| Built-in camera *                   | ✗         | Packaging data                           |                           |
| Design                              |           | Package weight                           | 8.08 kg                   |
| Market positioning *                | Office    | Packaging content                        |                           |
| Product colour *                    | White     | Stand included                           | ✓                         |
| Colour name                         | Ash White | Cables included                          | AC, HDMI                  |
| Front bezel colour                  | Black     | HDMI cable length                        | 1.8 m                     |
| Feet colour                         | White     | Sustainability                           |                           |
| Ports & interfaces                  |           | Sustainability certificates              | ENERGY STAR               |
| Built-in USB hub *                  | ✗         | Doesn't contain                          | Arsenic, Mercury, PVC/BFR |
| HDMI *                              | ✓         | Other features                           |                           |
| HDMI ports quantity                 | 2         | Country of origin                        | China                     |
| HDMI version                        | 1.4       | Compliance certificates                  | RoHS, TÜV mark            |
| Headphone out *                     | ✗         | Brand-specific features                  |                           |
| HDCP                                | ✓         | Dell Display Manager (DDM) compatibility | ✓                         |
| HDCP version                        | 1.4       |                                          |                           |
| Ergonomics                          |           |                                          |                           |
| VESA mounting *                     | ✓         |                                          |                           |



5397184962985



2000001393062



0884116691402



884116691402

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.