



DELL S Series S3423DWC computer monitor 86.4 cm (34") 3440 x 1440 pixels Wide Quad HD LCD Black

Brand : DELL

Product family: S Series

Product code: DELL-S3423DWC

Product name : S3423DWC

DELL S Series S3423DWC. Display diagonal: 86.4 cm (34"), Display resolution: 3440 x 1440 pixels, HD type: Wide Quad HD, Display technology: LCD, Response time: 4 ms, Native aspect ratio: 21:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub. VESA mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal *	86.4 cm (34")	Panel mounting interface	100 x 100 mm
Display resolution *	3440 x 1440 pixels	Cable lock slot *	✓
HD type *	Wide Quad HD	Height adjustment *	✓
Native aspect ratio *	21:9	Adjustable height (max)	10 cm
Display technology *	LCD	Pivot	✗
Panel type *	VA	Swivelling	✗
Backlight type	LED	Tilt adjustment	✓
Touchscreen *	✗	Tilt angle range	-5 - 21°
Display brightness (typical)	350 cd/m²	On Screen Display (OSD)	✓
Response time *	4 ms		
Anti-glare screen	✓		
Screen shape *	Curved	Power	
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	Energy efficiency class (SDR) *	F
Contrast ratio (typical) *	3000:1	Energy efficiency class (HDR) *	Not available
Maximum refresh rate *	100 Hz	Energy consumption (SDR) per 1000 hours *	31 kWh
Viewing angle, horizontal	178°	Power consumption (typical) *	31 W
Viewing angle, vertical	178°	Power consumption (standby) *	0.4 W
Display number of colours *	16.7 million colours	Power consumption (max)	160 W
Response time (fast)	5 ms	Power consumption (off)	0.3 W
Pixel pitch	0.2318 x 0.2318 mm	AC input voltage	100 - 240 V
Pixel density	109 ppi	AC input frequency	50 - 60 Hz
Viewable size, horizontal	79.7 cm	Power supply type	Internal
Viewable size, vertical	33.4 cm	Energy efficiency scale	A to G
Viewable size diagonal	86.4 cm		
Digital horizontal frequency	30 - 160 kHz	Operational conditions	
Digital vertical frequency	48 - 100 Hz	Operating temperature (T-T)	0 - 40 °C
Display diagonal (metric)	86.42 cm	Storage temperature (T-T)	-20 - 60 °C
		Operating relative humidity (H-H)	10 - 80%
		Storage relative humidity (H-H)	10 - 90%

Display		Operational conditions	
High Dynamic Range (HDR) supported	✗	Operating altitude	0 - 5000 m
Colour gamut standard	sRGB	Non-operating altitude	5000 - 12192 m
Colour gamut	99%	Weight & dimensions	
Performance		Width (with stand)	808.2 mm
NVIDIA G-SYNC *	✗	Depth (with stand)	217.1 mm
AMD FreeSync *	✓	Height (with stand)	489.4 mm
AMD FreeSync type	FreeSync	Weight (with stand)	9.74 kg
Low Blue Light technology	✓	Width (without stand)	808.2 mm
Multimedia		Depth (without stand)	64 mm
Number of speakers	2	Height (without stand)	364.5 mm
RMS rated power	10 W	Weight (without stand)	6.65 kg
Built-in speaker(s) *	✓	Bezel width (side)	8.65 mm
Built-in camera *	✗	Bezel width (top)	8.64 mm
Design		Bezel width (bottom)	2.21 cm
Market positioning *	Business	Packaging data	
Product colour *	Black	Package width	223.5 mm
Front bezel colour	Black	Package depth	942.3 mm
Detachable stand	✓	Package height	449.6 mm
Feet colour	Silver	Package weight	15.2 kg
Ports & interfaces		Packaging content	
Built-in USB hub *	✓	Stand included	✓
USB upstream port type	USB Type-B, USB Type-C	Cables included	AC, USB Type-A, USB Type-C to USB Type-C
Number of upstream ports	2	Sustainability	
Number of USB Type-B upstream ports quantity	1	Doesn't contain	PVC/BFR
Number of USB Type-C upstream ports quantity	1	Carbon footprint	
USB Type-A downstream ports quantity	2	Total carbon footprint (kg of CO2e)	764
USB Type-C DisplayPort Alternate Mode	✓	Total carbon emissions, standard deviation (kg of CO2e)	225
USB Power Delivery (USB PD)	✓	Carbon emissions, manufacturing (kg of CO2e)	384.88
USB Power Delivery up to	65 W	Carbon emissions, logistics (kg of CO2e)	71.65
DVI port	✗	Carbon emissions, energy usage (kg of CO2e)	299.02
HDMI *	✓	Carbon emissions, end-of-life (kg of CO2e)	8.41
HDMI ports quantity	2	PAIA version	1.3.2, 2022
HDMI version	2.0	Other features	
Audio output	✓	Heavy metals free	Hg (mercury)
Headphone out *	✗	Compliance certificates	RoHS
Built-in KVM switch	✓	Logistics data	
HDCP	✓	Harmonized System (HS) code	85285210
AC (power) in	✓		
Network			
Wi-Fi	✗		
Ergonomics			
VESA mounting *	✓		



5397184656891



0884116420415



884116420415



5715063150184

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.