



## Bosch Serie 2 SMS25GI09F dishwasher Freestanding 12 place settings

**Brand :** Bosch

**Product family:** Serie 2

**Product code:** SMS25GI09F

**Product name :** SMS25GI09F

Bosch Serie 2 SMS25GI09F. Appliance placement: Freestanding, Product size: Full size (60 cm), Door colour: Stainless steel. Number of place settings: 12 place settings, Noise emission class: C, Noise level: 46 dB. Feet adjustment: 2 cm. Energy efficiency class: E, Water consumption per cycle: 9.5 L, Energy consumption per 100 cycles: 92 kWh. Width: 600 mm, Depth: 600 mm, Height: 845 mm



| Design                                |                                                               | Ergonomics                             |           |
|---------------------------------------|---------------------------------------------------------------|----------------------------------------|-----------|
| Appliance placement *                 | Freestanding                                                  | Automatic detergent detection          | ✓         |
| Product size *                        | Full size (60 cm)                                             | Self-cleaning filter                   | ✓         |
| Custom panel-ready *                  | ✗                                                             | Child lock                             | ✓         |
| Door colour *                         | Stainless steel                                               | Adjustable feet                        | ✓         |
| Control panel colour                  | Black                                                         | Feet adjustment                        | 2 cm      |
| Control type                          | Buttons                                                       | Removable top                          | ✓         |
| Built-in display *                    | ✓                                                             | Floor indicator light                  | ✗         |
| Cord length                           | 1.75 m                                                        | Interior light                         | ✗         |
| Inlet hose length                     | 1.65 m                                                        |                                        |           |
| Outlet hose length                    | 1.9 m                                                         |                                        |           |
| Upper basket adjustable height        | ✓                                                             |                                        |           |
| Upper basket adjustable height levels | 3                                                             |                                        |           |
| Performance                           |                                                               | Power                                  |           |
| Noise level *                         | 46 dB                                                         | Energy efficiency scale                | A to G    |
| Dishwashing programs *                | 60min 65°C, Auto 45-65°C, Eco 50°C, Intensive 70°C, Pre-rinse | Energy efficiency class *              | E         |
| Drying system                         | Heat exchanger                                                | Energy consumption per cycle           | 0.923 kWh |
| Number of place settings *            | 12 place settings                                             | Water consumption per cycle *          | 9.5 L     |
| Number of washing programs *          | 5                                                             | Energy consumption per 100 cycles *    | 92 kWh    |
| Noise emission class *                | C                                                             | Connected load                         | 2400 W    |
| Drying performance                    | C                                                             | AC input voltage                       | 220-240 V |
| Temperature (max) *                   | 70 °C                                                         | AC input frequency                     | 50/ 60 Hz |
| Cycle time *                          | 210 min                                                       | Current                                | 10 A      |
| Delayed start timer                   | ✓                                                             | Energy efficiency index (EEL)          | 55.9      |
| Delay start (min)                     | 1 h                                                           | Drying efficiency index (EU 2017/1369) | 1.061     |
| Delay start (max)                     | 24 h                                                          |                                        |           |
| AquaStop function *                   | ✓                                                             |                                        |           |
| AquaSensor function                   | ✓                                                             |                                        |           |
| Extra dry                             | ✓                                                             |                                        |           |
|                                       |                                                               | Weight & dimensions                    |           |
|                                       |                                                               | Depth                                  | 600 mm    |
|                                       |                                                               | Height                                 | 845 mm    |
|                                       |                                                               | Weight                                 | 50.4 kg   |
|                                       |                                                               | Depth with door open                   | 115.5 cm  |
|                                       |                                                               | Width *                                | 600 mm    |

| Performance            |     | Packaging data |         |
|------------------------|-----|----------------|---------|
| Repairability index    | 8.1 | Package width  | 665 mm  |
| Ergonomics             |     | Package depth  | 671 mm  |
| Automatic door opening | ✗   | Package height | 876 mm  |
|                        |     | Package weight | 51.9 kg |



4242005498581

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.