

Xerox WorkCentre 3025/BI Laser A4 600 x 600 DPI 20 ppm Wi-Fi

Brand : Xerox

Product family: WorkCentre

Product code: 3025V_BI

Product name : 3025/BI

Copy/Print/Scan, 20ppm, 600x600dpi, 600MHz, 128MB, USB 2.0, Wi-Fi, 313W

Xerox WorkCentre 3025/BI. Print technology: Laser, Printing: Mono printing, Maximum resolution: 600 x 600 DPI. Copying: Mono copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 1200 x 1200 DPI. Maximum ISO A-series paper size: A4. Wi-Fi. Product colour: Blue, White



Printing		Ports & interfaces	
Print technology *	Laser	USB port	✓
Printing *	Mono printing	Network	
Duplex printing *	✗	Wi-Fi *	✓
Maximum resolution *	600 x 600 DPI	Ethernet LAN *	✗
Print speed (black, normal quality, A4/US Letter) *	20 ppm	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Warm-up time	30 s	Security algorithms	WPA2
Time to first page (black, normal)	8.5 s	Supported network protocols (IPv4)	IPv4
Copying		Supported network protocols (IPv6)	IPv6
Duplex copying *	✗	Management protocols	SNMPv3
Copying *	Mono copying	Mobile printing technologies	Apple AirPrint, Xerox PrintBack
Maximum copy resolution *	600 x 600 DPI	Performance	
Time to first copy (black, normal)	10 s	Card reader integrated	✗
Scanning		Internal memory *	128 MB
Duplex scanning *	✗	Processor frequency	600 MHz
Scanning *	Colour scanning	Sound pressure level (printing)	50 dB
Optical scanning resolution *	1200 x 1200 DPI	Sound power level (standby)	26 dB
Maximum scan resolution	4800 x 4800 DPI	Design	
Scanner type *	ADF scanner	Product colour *	Blue, White
Scan to	TWAIN, WIA	Market positioning *	Home & office
Image formats supported	JPG, TIF	Built-in display *	✓
Document formats supported	PDF	Display	LCD
Output colour depth	8 bit	Power	
Fax		Power consumption (average operating)	313 W
Duplex faxing	✗	Power consumption (PowerSave)	2.3 W
Faxing *	✗	Power consumption (standby)	37 W
Features		AC input voltage	110 - 240 V
Maximum duty cycle *	15000 pages per month	AC input frequency	50 - 60 Hz
Digital sender	✗		
Number of print cartridges *	1		
Printing colours *	Black		
Page description languages	GDI		

Input & output capacity		System requirements	
Total number of input trays *	1	Windows operating systems supported	Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Total input capacity *	150 sheets		
Total output capacity *	100 sheets		
Paper input type	Paper tray		
Auto document feeder (ADF)	✓		
Auto document feeder (ADF) input capacity	40 sheets		
Maximum input capacity	150 sheets		
Maximum output capacity	100 sheets	Mac operating systems supported	Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Paper handling			
Maximum ISO A-series paper size *	A4		
Paper tray media types *	Bond paper, Card stock, Envelopes, Labels, Plain paper, Pre-printed, Recycled paper, Thick paper, Thin paper		
ISO A-series sizes (A0...A9) *	A4		
Custom media width	76 - 216 mm		
Custom media length	127 - 356 mm		
Paper tray media weight	60 - 163 g/m²	Linux operating systems supported	RedHat EL Linux 5.0, RedHat EL Linux 6.0, SuSE Linux 10, SuSE Linux 11, Ubuntu 10.04, Ubuntu 10.10, Ubuntu 11.04, Ubuntu 11.10, Ubuntu 12.04, Ubuntu 12.10, Ubuntu 13.04
Paper tray media weight (imperial)	7.26 - 19.5 kg (16 - 43 lbs)		
Auto Document Feeder (ADF) media weight	60 - 105 g/m²		
Auto Document Feeder (ADF) media weight (imperial)	7.26 - 12.7 kg (16 - 28 lbs)	Server operating systems supported	Windows Server 2003, Windows Server 2008, Windows Server 2012
Ports & interfaces			
Standard interfaces	USB 2.0		
Operational conditions			
Operating relative humidity (H-H)		20 - 80%	
Operating temperature (T-T)		10 - 32 °C	
Certificates			
Certification		UL 60950-1/CSA 60950-1-07, FDA/CDRH, FCC Part 15, ICES-003, CE, Low Voltage Directive 2006/95/EC, EN 60950-1, EN 60825-1, EMC 2004/108/EC, EN 55024, EN 55022, Class B, WEEE Directive 2012/19/EU, Citrix Ready, NOM, EAC (GOST), GS Mark, Green World Alliance, WHQL	
Sustainability			
Sustainability certificates		ENERGY STAR	
Weight & dimensions			
Width		406 mm	
Depth		360 mm	
Height		257 mm	
Weight		7.5 kg	
Technical details			
Compliance certificates		RoHS	



0095205863130



095205863130

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.