



Canon i-SENSYS MF667Cdw Laser A4 1200 x 1200 DPI 25 ppm Wi-Fi

Brand : Canon

Product family: i-SENSYS

Product code: 6928C001

Product name : MF667Cdw

25 ppm (A4), 1200 x 1200 dpi, UFR II, USB 2.0, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, LCD

Canon i-SENSYS MF667Cdw Laser A4 1200 x 1200 DPI 25 ppm Wi-Fi:

Compact and speedy A4 multifunction colour printers, designed to deliver essential printing capabilities. Canon i-SENSYS MF667Cdw. Print technology: Laser, Printing: Colour printing, Maximum resolution: 1200 x 1200 DPI. Copying: Colour copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 600 x 600 DPI. Faxing: Colour faxing. Duplex functions: Copy, Fax, Print. Maximum ISO A-series paper size: A4. Wi-Fi. Direct printing. Product colour: Black, White



Printing		Paper handling	
Print technology *	Laser	Maximum ISO A-series paper size *	A4
Printing *	Colour printing	Paper tray media types *	Coated paper, Envelopes, Heavy paper, Labels, Plain paper, Postcard, Recycled paper, Thin paper
Duplex printing *	✓	ISO A-series sizes (A0...A9) *	A4, A5, A6
Maximum resolution *	1200 x 1200 DPI	ISO B-series sizes (B0...B9)	B5
Print speed (black, normal quality, A4/US Letter) *	25 ppm	Non-ISO print media sizes	Executive
Warm-up time	13 s	Envelopes sizes	C5, Com-10, Monarch
Time to first page (black, normal)	10.9 s	Custom media width	60 - 163 mm
Time to first page (colour, normal)	10.93 s	Ports & interfaces	
Secure printing	✓	Direct printing *	✓
Copying		USB port	✓
Duplex copying *	✓	Network	
Duplex copying mode	Auto	Wi-Fi *	✓
Copying *	Colour copying	Ethernet LAN *	✓
Maximum copy resolution *	600 x 600 DPI	Ethernet LAN data rates	10,100,1000 Mbit/s
Maximum number of copies	999 copies	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Copier resize	25 - 400%	Security algorithms	64-bit WEP, 128-bit WEP, WPA-TKIP, WPA2-AES
ID-card copy function	✓	Mobile printing technologies	Apple AirPrint, Mopria Print Service
Scanning		Performance	
Scanning *	Colour scanning	Internal storage capacity	4 GB
Optical scanning resolution *	600 x 600 DPI	Internal memory *	1000 MB
Scanner type *	Flatbed & ADF scanner	Built-in processor	✓
Scan to	Cloud, E-mail, FTP, PC, USB	Processor frequency	1200 MHz
Image formats supported	JPEG, PNG, TIFF	Design	
Document formats supported	PDF	Product colour *	Black, White
Input colour depth	24 bit		
Output colour depth	24 bit		
Greyscale levels	256		

Scanning		Design	
Scan drivers	ICA, TWAIN, WIA	Market positioning *	Business
Fax		Built-in display *	✓
Duplex faxing	✓	Display	LCD
Faxing *	Colour faxing	Control type	Touch
Modem speed	33.6 Kbit/s	Colour display	✓
Speed dialling	✓	Power	
Features		Power consumption (max)	980 W
Recommended duty cycle	250 - 2500 pages per month	Power consumption (printing)	580 W
Maximum duty cycle *	30000 pages per month	Power consumption (standby)	12 W
Duplex functions *	Copy, Fax, Print	Power consumption (sleep)	0.1 W
Number of print cartridges *	4	Energy Star Typical Electricity Consumption (TEC)	0.23 kWh/week
Printing colours *	Black, Cyan, Magenta, Yellow	AC input voltage	220 - 240 V
Page description languages	PCL 5c, PCL 6, PostScript 3, UFR II	AC input frequency	50/60 Hz
Input & output capacity		System requirements	
Total number of input trays *	1	Windows operating systems supported	Windows 10, Windows 11 Enterprise x64, Windows 8.1 Pro
Total input capacity *	250 sheets		Mac OS 12.4, Mac OS 13.1, Mac OS 14.5, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma, Mac OS X 15.0 Sequoia
Total output capacity *	100 sheets	Mac operating systems supported	
Multi-Purpose tray	✓		
Auto document feeder (ADF)	✓	Server operating systems supported	Windows Server 2016 x64, Windows Server 2022
Auto document feeder (ADF) input capacity	50 sheets		
Maximum input capacity	251 sheets	Operational conditions	
		Operating relative humidity (H-H)	20 - 80%
		Operating temperature (T-T)	10 - 30 °C
Weight & dimensions			
		Width	425 mm
		Depth	461 mm
		Height	397 mm
		Weight	20.8 kg



4549292241969

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.