

Techly HDMI 1x8 Extender Splitter over CAT6/6a/7 50m with IR pass-back IDATA EX-HL81TY

Brand : Techly

Product code: IDATA EX-HL81TY


Product name : HDMI 1x8 Extender Splitter over CAT6/6a/7 50m with IR pass-back IDATA EX-HL81TY



- Distribute 1 HDMI source to 8 HD displays over network cable simultaneously
 - Compatible with CAT6/6a/7 network cables
 - The highest resolution supported is up to 1080p@60Hz
 - Extend HDMI signal up to 50m/164ft over CAT6 cable
 - Support IR pass back for remote control source device easily
 - Uncompressed and zero latency
 - Plug and play
- HDMI 1x8 Extender Splitter over CAT6/6a/7 50m with IR pass-back

Techly HDMI 1x8 Extender Splitter over CAT6/6a/7 50m with IR pass-back IDATA EX-HL81TY:

- Distribute 1 HDMI source to 8 HD displays over network cable simultaneously
- Compatible with CAT6/6a/7 network cables
- The highest resolution supported is up to 1080p@60Hz
- Extend HDMI signal up to 50m/164ft over CAT6 cable
- Support IR pass back for remote control source device easily
- Uncompressed and zero latency
- Plug and play



Features		Ports & interfaces	
Type *	AV transmitter & receiver	DC-in jack	✓
Maximum resolution *	1920 x 1080 pixels	Power	
Cable types supported	Cat6, Cat6a, Cat7	Operating voltage	12 V
Maximum transfer distance	40 m	Input current	3 A
Maximum refresh rate	60 Hz	Operating voltage (receiver)	5 V
LED indicators	✓	Power consumption (typical)	24 W
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	External power adapter	✓
Audio formats supported	PCM	Power over Ethernet (PoE)	✓
Remote control type	IR	Operational conditions	
HDCP	✓	Operating temperature (T-T)	0 - 60 °C
Material	Aluminium	Storage temperature (T-T)	-20 - 70 °C
Colour depth	36 bit	Storage relative humidity (H-H)	0 - 95%
3D	✗	Weight & dimensions	
HDCP & EDID bypass	✓	Weight	2.18 kg
Wall mountable	✓	Receiver dimensions (WxDxH)	71.6 x 66.6 x 22.6 mm
Plug and Play	✓	Transmitter dimensions (WxDxH)	276 x 95.98 x 23 mm
HDCP version	1.2	Packaging content	
Product colour	Black	AC adapter included	✓
Certification	CE, FCC	Cables included	IR
Ports & interfaces		Quick start guide	✓
RJ-45 input ports	1	IR blaster included	✓
RJ-45 output ports	8	Technical details	
HDMI in	1	Audio support	✓
Number of HDMI outputs	9	Compliance certificates	CE
HDMI version	1.3		
Remote (IR) input	1		
Remote (IR) output	1		

Supplier features

Vendor code

028207



8054529028207

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.