

## Brother MFCL9670CDNTT Laser A4 2400 x 600 DPI 40 ppm

**Brand :** Brother

**Product code:** MFC-L9670CDNTT

**Product name :** MFCL9670CDNTT

Brother MFCL9670CDNTT. Print technology: Laser, Printing: Colour printing, Maximum resolution: 2400 x 600 DPI. Copying: Colour copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 600 x 600 DPI. Duplex functions: Copy, Print, Scan. Maximum ISO A-series paper size: A4. Direct printing. Product colour: White



| Printing                                            |                                                   | Network                                           |                                      |
|-----------------------------------------------------|---------------------------------------------------|---------------------------------------------------|--------------------------------------|
| Duplex printing mode                                | Auto                                              | Wi-Fi *                                           | ✗                                    |
| Print technology *                                  | Laser                                             | Ethernet LAN *                                    | ✓                                    |
| Printing *                                          | Colour printing                                   | Cabling technology                                | 10/100/1000Base-T(X)                 |
| Duplex printing *                                   | ✓                                                 | Ethernet LAN data rates                           | 10,100,1000 Mbit/s                   |
| Maximum resolution *                                | 2400 x 600 DPI                                    | Near Field Communication (NFC)                    | ✓                                    |
| Print speed (black, normal quality, A4/US Letter) * | 40 ppm                                            | Mobile printing technologies                      | Apple AirPrint, Mopria Print Service |
| Time to first page (black, normal)                  | 10 s                                              | Performance                                       |                                      |
| Time to first page (colour, normal)                 | 10 s                                              | Internal memory *                                 | 2000 MB                              |
| Secure printing                                     | ✓                                                 | Sound pressure level (printing)                   | 55 dB                                |
| Copying                                             |                                                   | Sound pressure level (duplex printing)            | 56.5 dB                              |
| Duplex copying *                                    | ✓                                                 | Sound pressure level (quiet mode)                 | 53 dB                                |
| Copying *                                           | Colour copying                                    | Design                                            |                                      |
| Maximum copy resolution *                           | 600 x 600 DPI                                     | Product colour *                                  | White                                |
| Copier resize                                       | 25 - 400%                                         | Market positioning *                              | Home & office                        |
| N-in-1 copy function                                | ✓                                                 | Built-in display *                                | ✓                                    |
| Scanning                                            |                                                   | Display                                           | LCD                                  |
| Duplex scanning *                                   | ✓                                                 | Display diagonal                                  | 17.8 cm (7")                         |
| Scanning *                                          | Colour scanning                                   | Control type                                      | Touch                                |
| Optical scanning resolution *                       | 600 x 600 DPI                                     | Power                                             |                                      |
| Optical scanning resolution (ADF)                   | 600 x 600 DPI                                     | Power consumption (printing)                      | 770 W                                |
| Maximum scan resolution                             | 19200 x 19200 DPI                                 | Power consumption (copying)                       | 730 W                                |
| Scanner type *                                      | ADF scanner                                       | Power consumption (ready)                         | 85 W                                 |
| Scan to                                             | E-mail, E-mail Server, Image, Network folder, USB | Power consumption (off)                           | 0.04 W                               |
| Fax                                                 |                                                   | Energy Star Typical Electricity Consumption (TEC) | 0.687 kWh/week                       |
| Duplex faxing                                       | ✓                                                 | AC input voltage                                  | 220 - 240 V                          |

| Fax                                       |                                                                   | Power                               |            |
|-------------------------------------------|-------------------------------------------------------------------|-------------------------------------|------------|
| Modem speed                               | 33.6 Kbit/s                                                       | AC input frequency                  | 50 - 60 Hz |
| Features                                  |                                                                   | System requirements                 |            |
| Maximum duty cycle *                      | 15000 pages per month                                             | Windows operating systems supported | ✓          |
| Duplex functions *                        | Copy, Print, Scan                                                 | Mac operating systems supported     | ✓          |
| Printing colours *                        | Black, Cyan, Magenta, Yellow                                      | Linux operating systems supported   | ✓          |
| Page description languages                | BR-Script 3, PCL 5c, PCL 5e, PCL 6, PDF 1.7, XPS                  | Mobile operating systems supported  | ✓          |
| Input & output capacity                   |                                                                   | Operational conditions              |            |
| Total input capacity *                    | 1520 sheets                                                       | Operating relative humidity (H-H)   | 20 - 80%   |
| Total output capacity *                   | 250 sheets                                                        | Storage temperature (T-T)           | 0 - 40 °C  |
| Multi-Purpose tray                        | ✓                                                                 | Operating temperature (T-T)         | 10 - 32 °C |
| Multi-Purpose tray input capacity         | 100 sheets                                                        | Storage relative humidity (H-H)     | 10 - 90%   |
| Auto document feeder (ADF)                | ✓                                                                 | Weight & dimensions                 |            |
| Auto document feeder (ADF) input capacity | 100 sheets                                                        | Width                               | 503 mm     |
| Paper handling                            |                                                                   | Depth                               | 541 mm     |
| Maximum ISO A-series paper size *         | A4                                                                | Height                              | 852 mm     |
| Paper tray media types *                  | Envelopes, Plain paper, Recycled paper, Thicker paper, Thin paper | Weight                              | 49.9 kg    |
| ISO A-series sizes (A0...A9) *            | A4, A5, A6                                                        | Packaging data                      |            |
| ISO B-series sizes (B0...B9)              | B5                                                                | Package width                       | 580 mm     |
| Non-ISO print media sizes                 | Legal, Letter                                                     | Package depth                       | 663.7 mm   |
| Custom media width                        | 76.2 - 215.9 mm                                                   | Package height                      | 1348 mm    |
| Custom media length                       | 127 - 355.6 mm                                                    | Package weight                      | 43.1 kg    |
| Ports & interfaces                        |                                                                   |                                     |            |
| Direct printing *                         | ✓                                                                 |                                     |            |
| USB port                                  | ✓                                                                 |                                     |            |
| USB 2.0 ports quantity                    | 2                                                                 |                                     |            |



4002352013284

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.