

Brother DCP-T780DW

Brand : Brother

Product code: DCP-T780DW

Product name : DCP-T780DW

- Print up to 16 images per minute (ISO/IEC 24734)
 - Automatic 2-sided print
 - 4.5cm (1.8") colour display
 - 2.4 and 5GHz WiFi and USB
 - 150 Sheet paper input tray, manual feed slot
 - Comes with 15,000 (2 x 7,500) black, 5,000 colour page yield ink bottles
- Fill up and print for longer, with quick filling ink tanks and super high yield ink bottles. Designed for easy set up and efficient paper management.



Brother DCP-T780DW:

Fill up and print more for less with super-high yield ink bottles and easy fill ink tanks that lower your colour printing costs. Whether in your home office, small office, or working from the kitchen, enjoy effortless connectivity and quick hassle-free printing with the 3-in-1 ink tank printer DCP-T780DW. Print directly from or scan to PC and mobile app. Experience smooth paper management with a manual feed tray and a 20-sheet automatic document feeder (ADF).




Printing		Paper handling	
Duplex printing mode	Auto	Envelopes sizes	Com-10, Monarch, C5
Print technology *	Inkjet	Paper tray media weight	64 - 300 g/m ²
Printing *	Colour printing	Ports & interfaces	
Duplex printing *	✓	USB port	✓
Maximum resolution *	1200 x 6000 DPI	USB 2.0 ports quantity	1
Print speed (black, normal quality, A4/US Letter) *	16 ppm	Network	
Print speed (colour, normal quality, A4/US Letter)	7 ppm	Wi-Fi *	✓
Print speed (ISO/IEC 24734) mono	16 ipm	Ethernet LAN *	✗
Print speed (ISO/IEC 24734) colour	7 ipm	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n)
Time to first page (black, normal)	6.2 s	Wi-Fi Direct	✓
Time to first page (colour, normal)	6.5 s	Security algorithms	64-bit WEP, 128-bit WEP, WPA-AES, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSK, WPA2-TKIP, WPA3-SAE
N-in-1 print function	✓	Supported network protocols (IPv4)	ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP, SNMPv1/v2c, TFTP server, ICMP, Web Services (Print/Scan), SNMP Client, HTTP Server
N-up printing	16	Supported network protocols (IPv6)	NDP, RA, mDNS, LLNMR Responder, DNS Resolver, LPR/LPD, Custom Raw Port/ Port9100, IPP, SNMPv1/v2c, TFTP server, Web Services (Print/Scan), SNMP Client, ICMPv6, HTTP Server
Watermark printing	✓	Mobile printing technologies	Apple AirPrint, Brother Mobile Connect, Mopria Print Service
Secure printing	✓		
Booklet printing function	✓		
Poster printing function	✓		
Borderless printing	✓		
Copying			
Copying *	Colour copying		
Maximum copy resolution *	1200 x 2400 DPI		
Time to first copy (black, normal)	13 s		
Time to first copy (colour, normal)	25 s		
Maximum number of copies	99 copies		
Copier resize	25 - 400%		
N-in-1 copy function	✓		

Copying		Performance	
N-in-1 copy function (N=)	2, 4	Internal memory *	128 MB
ID-card copy function	✓	Sound pressure level (printing)	55 dB
Scanning		Design	
Scanning *	Colour scanning	Product colour *	Black
Optical scanning resolution *	1200 x 2400 DPI	Market positioning *	Home & office
Optical scanning resolution (ADF)	600 x 600 DPI	Built-in display *	✓
Scanner type *	ADF scanner	Display diagonal	4.57 cm (1.8")
Scan technology	CIS	Colour display	✓
Scan to	E-mail, File, Image	Power	
Image formats supported	JPEG, TIFF	Power consumption (copying)	16 W
Document formats supported	PDF	Power consumption (ready)	2.5 W
Input colour depth	30 bit	Power consumption (sleep)	0.6 W
Output colour depth	24 bit	AC input voltage	100 - 240 V
Input greyscale depth	10 bit	AC input frequency	50/60 Hz
Output greyscale depth	8 bit	System requirements	
Scan drivers	TWAIN, WIA	Windows operating systems supported	Windows 11
Fax		Mac operating systems supported	✓
Faxing *	✗	Other operating systems supported	ChromeOS
Features		Operational conditions	
Maximum duty cycle *	1000 pages per month	Operating relative humidity (H-H)	20 - 80%
Duplex functions *	Print	Storage temperature (T-T)	0 - 40 °C
Number of print cartridges *	4	Operating temperature (T-T)	10 - 35 °C
Printing colours *	Black, Cyan, Magenta, Yellow	Storage relative humidity (H-H)	20 - 80%
Country of origin	Philippines	Weight & dimensions	
Input & output capacity		Width	390 mm
Total number of input trays *	1	Depth	343 mm
Total input capacity *	150 sheets	Height	183 mm
Total output capacity *	50 sheets	Weight	7.9 kg
Auto document feeder (ADF)	✓	Packaging data	
Auto document feeder (ADF) input capacity	20 sheets	Package width	463 mm
Manual feeder	✓	Package depth	260 mm
Paper handling		Package height	496 mm
Maximum ISO A-series paper size *	A4	Package weight	9.5 kg
Paper tray media types *	Envelopes, Recycled paper, Glossy paper, Photo paper, Plain paper	Packaging content	
ISO A-series sizes (A0...A9) *	A4, A5, A6	Cartridge(s) included	✓
Non-ISO print media sizes	Legal, Folio, Letter, Index card	Included cartridge capacity (black)	7500 pages
		Included cartridge capacity (CMY)	5000 pages
		Cables included	AC
		Logistics data	
		Export Control Classification Number (ECCN)	na
		Technical details	
		Expanded Polystyrene (EPS) packaging weight	0 g
		Paper packaging weight	1.6 kg
		Metal packaging weight	0 g
		Wood packaging weight	0 g
		Other features	
		Spare part retention	5 year(s)



4977766841788



4977766838771

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.