



Canon i-SENSYS MF287dw Laser A4 1200 x 1200 DPI 33.2 ppm Wi-Fi



Brand : Canon

Product family: i-SENSYS

Product code: 6354C009

Product name : MF287dw

Canon i-SENSYS MF287dw. Print technology: Laser, Printing: Mono printing, Maximum resolution: 1200 x 1200 DPI. Copying: Mono copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 600 x 600 DPI. Faxing: Mono faxing. Duplex functions: Copy, Fax, Print, Scan. Maximum ISO A-series paper size: A4. Wi-Fi. Product colour: White

Printing

Duplex printing mode	Auto
Print technology *	Laser
Printing *	Mono printing
Duplex printing *	✓
Maximum resolution *	1200 x 1200 DPI
Print speed (black, normal quality, A4/US Letter) *	33.2 ppm
Duplex print speed (black, normal quality, A4/US Letter)	20.9 ppm
Duplex print speed (ISO/IEC 24734) mono	15 ipm
Warm-up time	15 s
Time to first page (black, normal)	5 s

Copying

Duplex copying *	✓
Copying *	Mono copying
Maximum copy resolution *	600 x 600 DPI
Copy speed (black, normal quality, A4)	33.2 cpm
Time to first copy (black, normal)	8.6 s
Maximum number of copies	999 copies
Copier resize	25 - 400%
N-in-1 copy function	✓
N-in-1 copy function (N=)	2, 4
ID-card copy function	✓
Edge erase function	✓

Scanning

Duplex scanning *	✓
-------------------	---

Paper handling

Maximum ISO A-series paper size *	A4
Paper tray media types *	Envelopes, Heavy paper, Labels, Plain paper, Postcard, Recycled paper
ISO A-series sizes (A0...A9) *	A4, A5
ISO B-series sizes (B0...B9)	B5
Non-ISO print media sizes	16K, Executive, Letter, Oficio, Statement
Envelopes sizes	10, C5, DL
Paper tray media weight	60 - 163 g/m ²
Multi-Purpose Tray media weight	60 - 163 g/m ²
Auto Document Feeder (ADF) media weight	50 - 105 g/m ²

Ports & interfaces

Standard interfaces	Ethernet, USB 2.0, Wireless LAN
USB port	✓
USB 2.0 ports quantity	1

Network

Wi-Fi *	✓
Ethernet LAN *	✓
Cabling technology	10/100Base-T(X)
Ethernet LAN data rates	10,100 Mbit/s
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Wi-Fi Direct	✓
Security algorithms	802.1x RADIUS, HTTPS, SNMP, WEP, WPA-PSK, WPA2-PSK

Scanning		Network	
Scanning *	Colour scanning	Supported network protocols (IPv4)	LPD, RAW, WSD-Print, Email, SMB, WSD-Scan, Bonjour(mDNS), HTTP, HTTPS, POP before SMTP, DHCP, ARP+PING, Auto IP, WINS, SNMPv1, SNMPv3
Optical scanning resolution *	600 x 600 DPI		
Maximum scan resolution	9600 x 9600 DPI	Supported network protocols (IPv6)	LPD, RAW, WSD-Print, Email, SMB, WSD-Scan, Bonjour(mDNS), HTTP, HTTPS, POP before SMTP, DHCPv6, SNMPv1, SNMPv3
Scanner type *	Flatbed & ADF scanner		
Scan to	Cloud, E-mail, PC	Mobile printing technologies	Apple AirPrint, Canon PRINT Business, Google Cloud Print, Mopria Print Service
Scan speed (colour)	15 ppm		
Scan speed (black)	20 ppm		
Input colour depth	24 bit		
Output colour depth	24 bit		
Greyscale levels	256		
Scan drivers	ICA, TWAIN, WIA		
Fax		Performance	
Duplex faxing	✓	Internal memory *	256 MB
Faxing *	Mono faxing	Sound pressure level (printing)	53 dB
Fax resolution (black)	200 x 100 DPI	Sound pressure level (duplex printing)	52 dB
Fax resolution (colour)	200 x 200 DPI		
Fax transmission speed	3 sec/page	Design	
Modem speed	33.6 Kbit/s	Product colour *	White
Fax memory	256 pages	Market positioning *	Business
Auto-redialing	✓	Built-in display *	✓
Fax speed dialing (max numbers)	104	Display	LCD
Fax forwarding	✓	Touchscreen	✓
Fax broadcasting	114 locations	Display number of lines	6 lines
Fax dual access	✓	Control type	Touch
		Colour display	✗
Features		Power	
Recommended duty cycle	250 - 2500 pages per month	Power consumption (max)	1020 W
Maximum duty cycle *	50000 pages per month	Power consumption (standby)	3.9 W
Duplex functions *	Copy, Fax, Print, Scan	Power consumption (sleep)	0.6 W
Printing colours *	Black	Energy Star Typical Electricity Consumption (TEC)	0.27 kWh/week
Page description languages	PCL 5e, PCL 6, UFRII-LT	AC input voltage	220 - 240 V
Printer fonts	PCL	AC input frequency	50/60 Hz
Number of printer fonts	45		
Input & output capacity		System requirements	
Total number of input trays *	1	Windows operating systems supported	Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64
Total input capacity *	250 sheets		
Multi-Purpose tray	✓		
Multi-Purpose tray input capacity	1 sheets		
Paper input type	Cassette		
Auto document feeder (ADF)	✓		
Auto document feeder (ADF) input capacity	35 sheets		

System requirements	
Mac operating systems supported	Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Linux operating systems supported	✓
Server operating systems supported	Windows Server 2003, Windows Server 2003 R2, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2
Operational conditions	
Operating temperature (T-T)	10 - 30 °C
Storage relative humidity (H-H)	20 - 80%
Sustainability	
Sustainability certificates	ENERGY STAR
Weight & dimensions	
Width	390 mm
Depth	399 mm
Height	390 mm
Weight	13 kg
Other features	
Noise level	70 dB



4549292225280

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.